


[Q25-Q40 Salesforce OMS-435 Practice Verified Answers - Pass Your Exams For Sure! [2022]



[Q25-Q40] Salesforce OMS-435 Practice Verified Answers - Pass Your Exams For Sure! [2022]

Salesforce OMS-435 Practice Verified Answers - Pass Your Exams For Sure! [2022]

Valid Way To Pass Salesforce Developer's OMS-435 Exam

Salesforce OMS-435 Exam Syllabus Topics:

TopicDetailsTopic 1- Build Integration Procedures and DataRaptors for OmniScripts and FlexCards- Assign Data Sources to FlexCards, Including External Data SourcesTopic 2- Build Calculation Matrices and Procedures- Build an OmniStudio Interaction ConsoleTopic 3- Integration Procedures and OmniStudio Data Tools- Explore OmniStudio Tools and ResourcesTopic 4- Learn How Data Flows Between OmniScripts and Integration Procedures- Configure Conditions to Display Different Flexcard StatesTopic 5- Test and Troubleshoot Components in the OmniStudio Interaction Console- Configure FlexCard Flyouts to Display Additional DataTopic 6- Learn How OmniStudio uses Salesforce sObjects and Fields- Design and Build Simple and Complex OmniScripts

NEW QUESTION 25

A developer needs to display the following information together on one FlexCard:

* Account name, address, phone number, website

* Primary contact first name, contact name, address, phone number, email The account information must always be visible, and the

contact information should only be visible as needed by the user.

What approach should the developer use to display the contact information on the card?

- * Use a Datatable element
- * Set the class `collapsible` on the block element
- * Set the collapsible property on the block element
- * Use a conditional FlexCard State

NEW QUESTION 26

Users receive an APEC CPU limit Exceeded error when running an OmniScript in a Salesforce Community. The OmniScript includes an Integration Procedure that contains two DataRaptors.

Which two Location should the developer check to troubleshoot the issue?

Choose 2 answers

- * Script configuration
- * Community logs
- * DataRaptor configuration
- * Action Debugger

NEW QUESTION 27

A developer examines data received from an external data source. The data is nested two levels down in the JSON structure.

Which OmniStudio tool could the developer use to simplify this data?

- * A guided workflow
- * A DataRaptor Transform
- * An HTTP Action Element
- * An integration Procedure

NEW QUESTION 28

An integration Procedure uses an HTTP action to make a REST API call. The response from the REST API must be converted into a specific XML structure before sending it as an input to another external web service.

How should the developer configure the Integration Procedure to meet this requirement?

- * Use a Remote Action that calls the XMLStreamReader class
- * Use a Remote Action that calls the XMLStreamWriter class
- * Use a DataRaptor Transform to convert JSON to XML
- * Use a DataRaptor Extract and check the XML checkbox on the Output JSON Path.

NEW QUESTION 29

A developer writes an OmniScript that includes a DataRaptor that updates the Account status based on information provided from the OmniScript. The information must be updated only if the Account record already exists. Otherwise, a new account must be created.

How should the developer accomplish this task?

- * Populate the Lookup object and Lookup fields

- * Check the Upsert key and is required for Upsert checkboxes on the Account id field
- * Check the Upsert key checkbox on the Account Status field
- * Check Overwrite Target for all Null input checkbox on the Account id field

NEW QUESTION 30

A company wants to allow agents to send customers a quote for signature. The quote is a documents created using a DocuSign template that has been prefilled with all of the quote details. The document will be emailed to one or more recipients for signature.

How should a developer configure this functionality in an OmniScript?

- * DocuSign Envelope Action
- * PDF Acwm
- * DocuSign Signature Action
- * Email Action

NEW QUESTION 31

A)

```
"Steps": {  
  "Block1": {  
    "Text1": "Text",  
    "Block2": {  
      "Telephone": "1234567890",  
      "Checkbox1": false  
    }  
  },  
  "Block3": {  
    "Multi-select1": "Value A;Value B"  
  }  
}
```

B)

```
"Steps": {  
  "Block1": {  
    "Text1": "Text",  
    "Telephone": "1234567890",  
    "Checkbox1": false  
  }  
},  
  "Block3": {  
    "Multi-select1": "Value A;Value B"  
  }  
}
```

- * Option A
- * Option B

NEW QUESTION 32

A developer needs to change some field labels on a FlexCard. The FlexCard is currently deployed to production. The developer that the best course of action is to version the FlexCard rather than cloning it.

Which factor would lead the developer to this decision?

- * The new version of the FlexCard will be used in a new Console, and the current version of the FlexCard should remain unchanged.
- * Another team member is developing new action, fields and styling for the current version of the FlexCard.
- * The new and current versions will be displayed together on the same target.
- * All instance of the FlexCard must be updated with the changes.

NEW QUESTION 33

An OmniScript updates data from one Salesforce record, but when it completes, only some of the data is updated in Salesforce. A DataRaptor Load saves the data. What error could cause this behavior?

Choose 2 answers

- * The fields that are not updated are read only in Salesforce.
- * In the DataRaptor Load, in the Preview tab, the Record is from the wrong record type.
- * The input JSON paths in the DataRaptor Load do not match the JSON from the OmniScript.
- * ContextId is misspelled in the merge code that passes the RecordId to the DataRaptor

NEW QUESTION 34

A developer is configuring the API URL in an HTTP Action element within an Integration procedure.

What is the merge code syntax for passing a Date node from an element named SetValue in the URL?

- * x%SetValue.Date%
- * (‘ Setvalues’] [‘Date’]
- * %SetValue Date
- * {(SetValue. Date)}

NEW QUESTION 35


A developer needs to create a DataRaptor to retrieve the name of an account for a contact.

Following best practices, how should a developer configure the extraction steps?

- * Define an extraction step for the Contact object and set the Extract JSON Path to Contact Account.Name
- * Define extraction steps for the Contact and the Account objects, and set the Extract JSON Path to Contact Account.Name
- * Define extraction steps for the Contact and the Account objects, and set the Extract JSON Path to Account.Name
- * Define an extraction step for the Account object, and set the Extract JSON Path to AccountContact.Name

NEW QUESTION 36

Configure Additional input to send exactly the same data? Assume that the developer checked Send Only Additional input.



A)

Key	Value
SecondaryAccount	%DRExtractAction:Account%

B)

Key	Value
%DRExtractAction:Account%	SecondaryAccount

C)

Key	Value
%DRExtractAction:Account%	SecondaryAccount

D)

Key	Value
SecondaryAccount	DRExtractAction:Account

- * Option A
- * Option B

- * Option C
- * Option D

NEW QUESTION 37

A developer needs to retrieve data from an external system that stores policy data. The external system supports REST APIs to access and update the policies. Due to the volume of the policy data and peak hours of hours of business, calls to the REST APIs sometimes take longer than expected to response.

The developer creates an Integration Procedure to retrieve the policy data for use in an OmniScript.

Given the external system's known performance issues, which configuration should be used to implement the call to the external system?

Choose 2 answers

- * Set the Timeout property on the HTTP Action in the Integration Procedure
- * Configure a Remote action with timeout settings of 120000
- * Check the Chainable checkbox on the integration procedure Action in the OmniScript
- * Check the Chain on Step Check on the HTTP Action in the Integration Procedure

NEW QUESTION 38

An OmniScript displays data from an API using Integration Procedure, but some of the data is missing.

Which two configuration errors could cause this? Choose 2 answers

- * The element name for the missing data does not match the JSON node key in the Integration Procedure Response.
- * The Integration Procedure Preview Input Parameters do not match the JSON sent from the OmniScript.
- * The JSOW sent from the Integration Procedure Action does not match any of the Original Input for the Integration Procedure
- * The missing data is trimmed in the Integration Procedure Action Response JSON Path.

NEW QUESTION 39

A developer creates an Integration Procedure with a Set Values and a DataRaptor Extract Action that requires AccountId as a key. When the developer previews the Integration Procedure, the developer enters the AccountId correctly and execute the Preview. The developer sees the data extract by the DataRaptor in the Debug Log, but the response is empty.

What is the likely cause of this issue?

- * The DataRaptor Action did not have the add response Response JSON property set to true.
- * The Response cannot be previewed directly.
- * A Response Action was not added to the integration Procedure.
- * The AccountId used for the preview is invalid.

NEW QUESTION 40

A developer needs to display read-only contact information in a OmniScript. The developer will format the information as a table, using merge codes to dynamically include first name, last name, street address, state, postal, code, and country from the data JSON.

Which OmniScript element should the developer use to meet this requirement?

- * Rich text Area
- * Text area

- * Text Block
- * Edit Block

Salesforce OMS-435 Pre-Exam Practice Tests | VCEPrep: <https://www.vceprep.com/OMS-435-latest-vce-prep.html>