

## Oracle 1Z0-1068-21 Dumps - The Sure Way To Pass Exam [Q26-Q46]



Oracle 1Z0-1068-21 Dumps - The Sure Way To Pass Exam  
1Z0-1068-21 Exam Questions (Updated 2022) 100% Real Question Answers

### QUESTION 26

When working with the agent REST APIs, the site context is important. What are two ways the sitecontext can be set? (Choose two.)

- \* siteIdproperty in the JSON request and response
- \* the webhook'ssiteIdproperty setting
- \* site request header, such as {X-CCSite; : siteA;}
- \* query parameter, such as POST/ccagent/v1/orders?siteId=siteA

### QUESTION 27

What are two examples of existing functionality provided with Commerce Cloud custom bindings? (Choose two.)

- \* display product images
- \* save local data to disk
- \* connect to source control repositories
- \* format date and numbers

- \* publish messages to other websites

## QUESTION 28

Given the example custom widget template code:

```
<!-- ko with: product -->
  <!-- ko if: $data.hasOwnProperty("videoURL") && videoURL -->
    <h4 data-bind="widgetLocaleText: {value: 'videoHeading',
  attr: 'innerText', params:
  {productTitle: displayName()}}"></h4>
  <!-- /ko -->
<!-- /ko -->
```

Where will the value of displayName be read from?

- \* The widget \$data variable
- \* Product view model
- \* The widget locale resources
- \* Widget observable attributes

## QUESTION 29

What are the three main technologies employed in widget development? (Choose three.)

- \* React
- \* JavaScript
- \* Node.js
- \* HTML 5
- \* CSS/Less

## QUESTION 30

The Profile Navigation &#8211; Account Shoppers widget instance settings specifies the storefront role of buyer for the Account Address Book.

accountAddressBookText	/accountaddressbook	buyer
------------------------	---------------------	-------

Note that the storefront role for the /accountaddressbook URL is specified as buyer.

Which configuration step is needed to allow a delegated administrator the privilege to create, edit, and delete account addresses?

- \* Nothing needs to be configured. The account Addresses widget will automatically provide additional create, edit, and delete privileges for delegated administrators.
- \* Modify the settings for the Account Address Book and specify the storefront role of admin.
- \* The Account Addresses widget will need to be customized to perform this functionality.
- \* Create an additional Account Address Book layout that allows delegated administrators the privilege to perform the tasks.

## QUESTION 31

The following code from a sample gateway.json file shows the configuration for a web checkout payment gateway extension without the transaction types filled in:

```
{  
  "provider": "Web Checkout",  
  "paymentMethodType": ["generic"],  
  "transactionTypes": {  
    "generic": ["____", "____", "____"]  
  }  
}
```

What three of the valid transaction types for the generic payment method are needed for web checkout using redirect? (Choose three.)

- \* authorization
- \* initiate
- \* void
- \* refund
- \* retrieve

### QUESTION 32

A storefront developer has just logged into the Commerce Cloud Administration UI and selects the Design page to begin configuring layouts and components for their account-based implementation.

What two key concepts must they understand? (Choose two.)

- \* A B2B Storefront implementation can include B2B-specific widgets as well as standard widgets that support both B2B and B2C implementations.
- \* Out-of-the-box B2B-specific storefront layouts and associated components must be used for the account-based implementation and cannot be customized.
- \*  Display layout to account shoppers only; must be selected in the layout settings in order to restrict the layout to account-based shoppers only.
- \* A B2B storefront implementation can only support one site per Account.

### QUESTION 33

Which four statements describe the Commerce Cloud payment webhooks? (Choose four.)

- \* Webhooks can be created for your custom integration
- \* The Credit Card Payment webhook is used for most credit cards, except 3D Secure cards and stored cards
- \* The Secure Credit Card Payment webhook is used for 3D Secure cards and stored cards
- \* The Generic Payment webhook is used for most payment types
- \* Webhooks can be configured in the Administration UI or using REST APIs
- \* The Custom Currency Payment webhook is used for loyalty points

### QUESTION 34

Which three features are supported in a B2B Storefront implementation? (Choose three.)

- \* A displaying products and prices that are specific to the logged in contact's account
- \* managing account buyers and addresses on the storefront by contacts with account specified storefront roles
- \* simultaneously logging into multiple accounts in order to compare product items and prices
- \* requiring an order approval based on a specified price threshold associated with the account
- \* sharing a purchase list with a contact from another account

### QUESTION 35

Consider the widget template snippet, which uses Knockout's containerless control flow syntax based on comment tags:

```
<ul>
  <li>Item #1</li>
  <!--ko if product -->
  <li>Item #2</li>
</ul>
```

Under what condition will <li>Item #2</li> be displayed?

- \* Item #2 will never be displayed
- \* if the Product view model is available on the page
- \* Item #2 will always be displayed
- \* If the shopper has a product in his/her cart

### QUESTION 36

Given the configuration:

Site Name	Catalog	Default Language
Cloud Lake US (default site)	US Catalog	English
Cloud Lake Mexico	Mexican Catalog	Spanish

US Catalog and MexicanCatalog share some of the products.

Which two methods enable a merchandiser to enter Spanish translations in the products? (Choose two.)

- \* Import the translations by setting LOCALE=es in the CSV import file
- \* Select the site on the Catalog page and edit the products that need Spanish translations
- \* Select Spanish from the Content Language drop-down and create new products with Spanish entries in the relevant fields
- \* Select Spanish from the Content Language drop-down and edit the products that need Spanish translations

### QUESTION 37

Consider the following code from the gateway.jsonfile for a sample payment gateway extension:

```
{
  "provider": "General Payment Gateway",
  "paymentMethodTypes": ["card", "cash", "physicalGiftCard"],
  "transactionTypes": {
    "card": ["authorization", "void", "refund"],
    "cash": ["initiate", "cancel"],
    "physicalGiftCard": ["balanceInquiry", "authorize", "void", "refund"],
  }
}
```

For which paymentMethodTypes is the processors property (not shown in the code example) required to be defined in your descriptors file?

- \* card, for both regular and 3D-Secure cards
- \* card, only for 3D-Secure card support
- \* card, cash, physicalGiftCard
- \* cash, physicalGiftCard
- \* physicalGiftCard, only for debit card support

### QUESTION 38

Which two describe the assets contained in a storefront extension .zip archive? (Choose two.)

- \* the defined format of expected JSON request and response payloads
- \* a hierarchy of folders and files that are specific to the extension type
- \* language translation resources for each language used on the storefront
- \* configurations for function and event webhooks related to the extension

### QUESTION 39

What is the Commerce Cloud ccResizeImage custom binding used for?

- \* update image borders and colors before download
- \* size image to the current viewport before it is downloaded
- \* alter image proportions after download so that it fits on the screen
- \* crop the image based on specified top, bottom, left and right parameters

### QUESTION 40

Which three design elements are provided in each baseline provisioned environment? (Choose three.)

- \* a basic collection of component instances that include widgets, stacks, and slots
- \* sample catalog data including product collections and SKUs
- \* storefront style templates with a set of pre-defined sample themes
- \* storefront template called Cloud Lake with a set of default layouts
- \* provisioned data used for sample shopper profiles

### QUESTION 41

When configuring sites, you have two properties related to price groups: the default price group and additional price groups. Consider the following scenario:

- \* Site US has the US Dollar price group set as its default price group.
- \* Site Canada has the Canadian Dollar price group as its default price group, but needs a second price group for US dollars.
- \* It can either share the US Dollar price group with Site US or have a separate US Dollars 2 price group.

Under what condition should Site Canada use the separate US Dollars 2 as its additional price group?

- \* The two countries have different sales tax rate calculations
- \* Reports in Oracle Business Intelligence Enterprise Edition need to separate sales totals in US dollars by site
- \* Site Canada has two languages and two currencies, and therefore needs dedicated price groups to accurately display prices

\* US dollar prices differ between Site US and Site Canada

## QUESTION 42

You need to display a message to a logged in shopper about a relevant promotion, based on the number of products in the cart and the total value of the items. You develop a custom widget that uses the User, Cart and Site view models as displayed in this example Javascript:

```
function (ko) {  
    ...  
    widget.showCartMsg = ko.computed(function() {  
        return (widget.user().loggedIn() &&  
            widget.cart().numberOfItems > 0 &&  
            widget.cart().subTotal() < minSpend);  
    });  
    widget.cartMsg = ko.computed(function() {  
        return widget.translate('cartMsg',  
            {currencySymbol: widget.site().currency.symbol,  
            cartTotal: widget.cart().subTotal(), minSpend: minSpend,  
            coupon: coupon});  
    });  
    ...  
}
```

Under what condition is the showCartMsg() function true?

- \* Only when there is at least one item in the cart and the cart subtotal is less than the value of minSpend
- \* When a user is logged in and there is at least one item in the cart and the cart subtotal is less than the value of minSpend
- \* If either a user is logged in or there is at least one item in the cart or the cart subtotal is less than the value of minSpend
- \* As long as the user is logged in; the status of the cart does not matter

## QUESTION 43

The design of a particular B2B storefront implementation has three supported locales.

When configuring the Profile Navigation &#8211; Account Shoppers settings, which statement describes how to configure the option name to handle the different languages?

- \* Type the names for each language directly into the field, using a comma delimited format
- \* Configure three different Profile Navigation &#8211; Account Shoppers widget instances, one for each locale
- \* Specify the option names using the Administration UI on the Setting Page
- \* Configure using Text Snippets on Design page after selecting the respective language

Explanation

Three layouts to the Profile Navigation &#8211; Account Shoppers widget, make sure you set

## QUESTION 44

The business team has decided to add order approvals into the B2B storefront.

What three things do you need to configure in order to implement this functionality? (Choose three.)

- \* Add order approval functionality into the B2B Checkout Layout
- \* Specify a Price Hold Period for an approved order

- \* Set the frequency of the Order Cancellation service
- \* Ensure that an invoice payment type is configured in the Payment Methods widgetinstance
- \* Configure B2B Storefront administrative privileges for account shoppers to request an order approval

#### QUESTION 45

The Payment Processing menu on the Settingspage of the Administration UI has a Payment Options property with two choices: Full Payment Required and Allow Partial Payment.

When should the Allow Partial Payment option be selected?

- \* One of the supported payment methods used on the order requires shopper action during payment processing
- \* All payment methods used on the order can be processed at the same time
- \* The storefront uses standard payment widgets
- \* If one payment of a partial payment fails, the successful payments are voided immediately and the order stays incomplete

#### QUESTION 46

Given the example snippet of custom widget JavaScript:

```
$.Topic(pubsub.topicNames.PAGE_CHANGED).subscribe(  
  function(value) {  
    widget.isDisplayErrorPins(false);  
  }  
);
```

What are two correctstatements about this code? (Choose two.)

- \* Creates a new PAGE\_CHANGED topic available for subscription
- \* Uses the PubSub library to publish to a topic
- \* Changes the page when the inline function runs
- \* Runs the inline function when the subscribed event fires
- \* Uses the PubSub library to subscribe to a topic

#### Oracle 1Z0-1068-21 Exam Syllabus Topics:

TopicDetailsTopic 1- Configure B2B features in the Administration UI- Manage site context with Agent endpointsTopic 2- Explain the features that support account-based commerce- Use data bindings in storefront template codeTopic 3- Describe the payment framework for OOTB and custom payment integrations- Explain the capabilities of the extension frameworkTopic 4 - Use storefront libraries in widget JavaScript- Store Implementation Requirements and DesignTopic 5- Describe the configuration capabilities and tasks of Oracle Commerce Cloud- Manage languages and catalogs in a multisite environmentTopic 6- Multiple Sites in a Single Oracle Commerce Cloud (OCC) Instance- Describe the provisioned environments provided to

youTopic 7- Explain typical custom integration projects in a store implementation- Edit storefront components in the Administration UI  
Topic 8- Implement storefront account administration- Describe the storefront architecture

**Pass Oracle 1Z0-1068-21 Exam Quickly With VCEPrep: <https://www.vceprep.com/1Z0-1068-21-latest-vce-prep.html>]**