

## 1z0-1068-22 Questions Pass on Your First Attempt Dumps for CX Commerce Certified [Q14-Q31]



1z0-1068-22 Questions Pass on Your First Attempt Dumps for CX Commerce Certified  
1z0-1068-22 Practice Test Pdf Exam Material

### Oracle 1z0-1068-22 Exam Syllabus Topics:

TopicDetailsTopic 1- Configure B2B features in the Administration UI- Use storefront libraries in widget JavaScriptTopic 2- What's New in Improvements to Access Control for Registered Application 22A- Use data bindings in storefront template codeTopic 3- What's New in Commerce: Promotions Limit Use Promotions with Coupons 22A- Customize URL Patterns by languageTopic 4- Implement communication via the Oracle Commerce Cloud payment webhooks- Manage sites in the Administration UITopic 5- Explain typical custom integration projects in a store implementation- Describe the provisioned environments provided to youTopic 6- Manage storefront components in the Administration UI- Manage site context with Agent endpoints

### NEW QUESTION 14

When working with the agent REST APIs, the site context is important. What are twoways the site context can be set? (Choose two.)

- \* siteIdproperty in the JSON request and response
- \* the webhook'ssiteIdproperty setting
- \* site request header, such as {X-CCSite; : siteA; }
- \* query parameter, such as POST/ccagent/v1/orders?siteId=siteA

### NEW QUESTION 15

Consider the widget template snippet, which uses Knockout's containerless control flow syntax based on comment tags:

```
<ul>  
  <li>Item #1</li>  
  <!--ko if: product -->  
  <li>Item #2</li>  
  <!-- /ko -->  
</ul>
```

Under what condition will <li>Item #2</li> be displayed?

- \* Item #2 will never be displayed
- \* if the Product view model is available on the page
- \* Item #2 will always be displayed
- \* If the shopper has a product in his/her cart

### NEW QUESTION 16

What are two operational parameters that are configurable by merchants in the Commerce Cloud Administration UI? (Choose two.)

- \* SSO configuration
- \* URL patterns for products and collections
- \* Tax processor
- \* Site enablement

### NEW QUESTION 17

What are two types of assets that can be included in a storefront extension? (Choose two.)

- \* Locale strings
- \* REST endpoint specifications
- \* Images
- \* Java code

### NEW QUESTION 18

A developer would like to pass two custom properties called `interestRate` and `remainingPayments` from the custom payment integration service to Commerce Cloud in the JSON response payload. The `remainingPayments` property should be returned to the storefront to be used in a custom widget.

Which code snippet included in the JSON response accomplishes this?

```
A. "customProperties" : {
  "interestRate" : "0.05",
  "remainingPayments" : " 3 "
},
"customPaymentProperties" :
["remainingPayments",
"latePayment"]

B. "additionalProperties" : {
  "interestRate" : "0.05",
  "remainingPayments" : " 3 "
},
"externalProperties" :
["remainingPayments",
"latePayment"]

C. "customProperties" : {
  "interestRate" : "0.05",
  "remainingPayments" : " 3 "
},
"externalProperties" :
["remainingPayments",
"latePayment"]
```

- \* Option A
- \* Option B
- \* Option C

#### NEW QUESTION 19

Which three design elements are provided in each baseline provisioned environment? (Choose three.)

- \* a basic collection of component instances that include widgets, stacks, and slots
- \* sample catalog data including product collections and SKUs
- \* storefront style templates with a set of pre-defined sample themes
- \* storefront template called Cloud Lakewith a set of default layouts
- \* provisioned data used for sample shopper profiles

#### NEW QUESTION 20

If your storefront has both B2B and B2C implementations, you will need to have one Order History Layout for B2B as well as a different Order History Layout for B2C.

What is the reason for this?

- \* Each layout will use different instances of the Secondary Navigation widget, depending if the shopper is account based or not.
- \* If implemented, delegated administrators can view a list of all previous orders placed from the account shopper.
- \* Account-based orders are tied to an Account, and the Order History Layout for B2B needs a B2B Order History widget instance.
- \* You cannot have one layout used for both B2B and B2C shoppers.

#### NEW QUESTION 21

When configuring sites, you have two properties related to price groups: the default price group and additional price groups. Consider the following scenario:

- \* Site US has the US Dollar price group set as its default price group.

- \* Site Canada has the Canadian Dollar price group as its default price group, but needs a second price group for US dollars.
- \* It can either share the US Dollar price group with Site US or have a separate US Dollars 2 price group.

Under what condition should Site Canada use the separate US Dollars 2 as its additional price group?

- \* The two countries have different sales tax rate calculations
- \* Reports in Oracle Business Intelligence Enterprise Edition need to separate sales totals in US dollars by site
- \* Site Canada has two languages and two currencies, and therefore needs dedicated price groups to accurately display prices
- \* US dollar prices differ between Site US and Site Canada

## NEW QUESTION 22

Given the example element.json element configuration:

```
{
  "inline": false,
  "type": "fragment",
  "translations": [
    {
      "language": "en",
      "title": "Hello Element",
      "description": "Displays a greeting to the user"
    },
    {
      "language": "fr",
      "title": "Bonjour Element",
      "description": "Affiche un message d'accueil"
    }
  ]
}
```

What does the inline attribute determine?

- \* whether the element should be inserted as an HTML span or as a div
- \* whether the translation text is inserted into the element source
- \* the display characteristic of the element
- \* whether the element can be included in another element

## NEW QUESTION 23

Which two are required to communicate with an Order Management System (OMS) Integration Service when integrating with an OMS from Commerce Cloud? (Choose two.)

- \* Shopper Profile Update event webhook
- \* Order Submit event webhook
- \* Admin Orders REST API
- \* Custom order management widget

## NEW QUESTION 24

Given this widget JavaScript snippet using the CCRestClient library:

```
ccRestClient.request("getProduct",  
    null,  
    successFunction(widget),  
    errorFunction(widget),  
    "xprod2119"  
);
```

What is the URL of the created request to Commerce Cloud?

- \* GET /ccstore/v1/products
- \* GET /ccstore/v1/products/xprod2119
- \* POST /ccstore/v1/products
- \* PUT /ccstore/v1/products/xprod2119
- \* GET/ccstore/v1/products?getProduct=xprod2119

### NEW QUESTION 25

What are two use cases for employing widget configuration settings? (Choose two.)

- \* to expose parameters that may vary between widgetinstances
- \* to provide an increased level of merchandiser control over widget behavior and display
- \* to determine whether a widget can be placed on a layout
- \* to provide links to 3rdparty JavaScript libraries

### NEW QUESTION 26

A merchant has two country sites, US and France. The Site Base URL for the US site iswww.example.com.

They plan to use a subfolder to differentiate the French site's URL. For example, they could set it to www.example.com/france.

What is a potential consequence of using thefrlocate code as the subfolder for the French site's URL, such aswww.example.com/fr, instead?

- \* Commerce Cloud does not understand locale codes when used as a subfolder, leading to 404 not found messages in the shopper browser.
- \* If the US site is configured to have French as an additional language, the systemcannot tell if www.example.com/fris the French site or the French translation of the English site.
- \* Commerce Cloud has logic built in to avoid any confusion between subfolders and locales, editing the URL when generating the page to differentiate between the locale and the subfolder name.
- \* You receive an error message on the Settings page when setting the Site Base URL to a recognized locale, preventing you from using it as the subfolder.

### NEW QUESTION 27

Given the example custom widget template code:

```
<!-- ko with: product -->  
  <!-- ko if: $data.hasOwnProperty("videoURL") && videoURL -->  
    <h4 data-bind="widgetLocaleText: {value: 'videoHeading',  
attr: 'innerText', params:  
{productTitle: displayName()}}"></h4>  
  <!-- /ko -->  
<!-- /ko -->
```

Where will the value of displayName be read from?

- \* The widget \$data variable
- \* Product view model
- \* The widget locale resources
- \* Widget observable attributes

### NEW QUESTION 28

Which two statements describe benefits of the custom payment framework for merchants? (Choose two.)

- \* Merchants can leverage the provided payment webhooks or create their own custom webhooks
- \* Merchants can change the underlying payment service provider without affecting their integration
- \* Merchants can store credit cards on the Commerce Cloud server in its PCI-compliant zone
- \* Merchants can apply their own business rules on top of each transaction

### NEW QUESTION 29

Which two describe the assets contained in a storefront extension .zip archive? (Choose two.)

- \* the defined format of expected JSON request and response payloads
- \* a hierarchy of folders and files that are specific to the extension type
- \* language translation resources for each language used on the storefront
- \* configurations for function and event webhooks related to the extension

### NEW QUESTION 30

Your client company has created a seasonal site that shares layouts with the default site, but has a different design theme that they have created on the Design page.

What do they need to do in the Administration UI to associate the new theme to the seasonal site?

- \* They cannot do this in the Administration UI. They must use the `/ccadmin/v1/sites` endpoint
- \* On the Design page, select the site and create a new theme under that site
- \* Edit the theme's JavaScript code to limit it to the seasonal site
- \* On the Settings page, navigate to the seasonal site and select the new theme in the Theme property

### NEW QUESTION 31

Which four statements describe the Commerce Cloud payment webhooks? (Choose four.)

- \* Webhooks can be created for your custom integration
- \* The Credit Card Payment webhook is used for most credit cards, except 3D Secure cards and stored cards
- \* The Secure Credit Card Payment webhook is used for 3D Secure cards and stored cards
- \* The Generic Payment webhook is used for most payment types
- \* Webhooks can be configured in the Administration UI or using REST APIs
- \* The Custom Currency Payment webhook is used for loyalty points

**1z0-1068-22 [Oct-2022 Newly Released Exam Questions For You To Pass:**  
<https://www.vceprep.com/1z0-1068-22-latest-vce-prep.html>]