


## GET Real Salesforce ANC-201 Exam Questions With 100% Refund Guarantee Mar 20, 2023 [Q71-Q85]



GET Real Salesforce ANC-201 Exam Questions With 100% Refund Guarantee Mar 20, 2023

Get Special Discount Offer on ANC-201 Dumps PDF

### Salesforce ANC-201 Exam Syllabus Topics:

Topic 1- Creating- Updating Mobile Dashboard Layouts- Building an app  
Topic 2- Overview of building and managing apps- Create a dashboard template  
Topic 3- Adding Charts, Tables, and KPIs to a Dashboard- Dashboard Building Overview  
Topic 4- Adding Filters to a Dashboard- Manage apps, lenses, dashboards, and datasets  
Topic 5- Managing Apps, Lenses, Dashboards, and Datasets- Modify a Dashboard for Mobile  
Topic 6- Translating Desktop Dashboards to a Mobile Device- Designing a Dashboard

**NO.71** A Tableau CRM consultant decides to use a recipe to create a new dataset.

Which two source types can be used for the recipe?

Choose 2 answers

- \* Existing datasets
- \* Dataset lens
- \* Connected data(Synced)
- \* Records from a Salesforce object

**NO.72** In a Compare Table formula, you can refer to other columns with:

- \* Their names
- \* Numbers (1..9)
- \* Letters (A..Z)
- \* All of the above

**NO.73** Which of the following are requirements for enabling Analytics for Communities?

- \* Wait at least 3 days after purchase.
- \* Have a Customer Community Plus or Partner Community license.
- \* Be nominated by your community peers.
- \* Assign your community members the Analytics for Communities permission set license.
- \* B and D

Reference:

Community member should have assigned:

&#8211; &#8216;Analytics for Communities&#8217; permission set license &#8211; a permission set that includes the &#8216;View Analytics on Communities pages&#8217; Only users with a Customer Community Plus or Partner Community license can use this feature. This feature is supported in communities but not in portals.

**NO.74** A consultant is asked to configure a user to view a dashboard, within a designated app, without the ability to create and save lenses. After adding the user to the app, which action should the consultant take to implement this requirement?

- \* Assign the Editor role to the user.
- \* Assign the Viewer role to the user.
- \* Ensure the user has the Use Analytics permission.
- \* Assign the Manager role to the user.

**NO.75** Max story creations per org per day:

- \* 40 per org
- \* 40 per org per clay
- \* 20 per org
- \* 20 per org per clay

**NO.76** Why are insights in the Unrelated category important?

- \* They explain everything about the outcome.
- \* They aren&#8217;t important. Hence the name, Unrelated.
- \* They explain how interaction terms affect the outcome.
- \* The outcome might not have much to do with related variables. It might have more to do with global effects.

**NO.77** A Senior Sales Business Analyst asks for a dashboard that contains fiscal year product opportunities. Information is maintained in a spreadsheet which is comprehensive, but its contents often need to be explained. After sketching the dashboard, the consultant is ready to start building.

Which concept should be applied to this dashboard?

- \* Limit widget actions and exploration so users will focus only on the high-level information.
- \* Use the different chart types to make the dashboard interesting and appealing.
- \* Design the dashboard with the desktop in mind and use the same layout for mobile devices for consistency.
- \* Use charts to help users ask questions, not illustrate a conclusion.

Reference:

[https://help.salesforce.com/articleView?id=bi\\_dashboard\\_build\\_tips.htm&type=5](https://help.salesforce.com/articleView?id=bi_dashboard_build_tips.htm&type=5)

**NO.78** Trending data limits: Maximum number of trended datasets per user and rows per snapshot:

- \* 5 per user, 200,000 per snapshot
- \* 10 per user, 100,000 per snapshot
- \* 10 per user, 200,000 per snapshot
- \* 5 per user, 100,000 per snapshot

**NO.79** What are Einstein Analytics prebuilt permission sets? Select 2:

- \* Einstein Analytics Platform Admin
- \* Einstein Analytics Platform User
- \* Einstein Analytics
- \* Einstein Analytics Superadmin

**NO.80** A consultant built a very useful Einstein Analytics app for Sales Operations, and they want to share its contents with the rest of Global Sales. However, they do not want to add everyone in Sales to their app. The consultant recommends extending the Sales Operations app and distributing it as an Einstein Analytics template app, but needs to locate specific information to get started.

```
{  
  "folderSource" : { "id" : "Sales Operations ID"}  
}
```

Given the code statement above, which endpoint should it be posted to?

- \* /services/data/v . /wave/apps
- \* /services/data/v . /analytics/wizard
- \* /services/data/v . /wave/templates
- \* /services/data/v . /analytics/projects

Reference:

[https://developer.salesforce.com/docs/atlas.en-us.bi\\_dev\\_guide\\_rest.meta/bi\\_dev\\_guide\\_rest/bi\\_resources\\_templates.htm](https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_rest.meta/bi_dev_guide_rest/bi_resources_templates.htm)

**NO.81** What do you have to assign to users before they can access Analytics?

- \* Analytics permission set license (PSL)
- \* Permission set with at least one Analytics user permission
- \* Username and password
- \* A and B
- \* B and C

**NO.82** Max number of dataflow definitions (with data sync enabled)

- \* 35
- \* 55
- \* 25
- \* 15

**NO.83** An Einstein Analytics team wants to create a dashboard that displays values from an external, on-premise Oracle database.

What are two options to load the data from the Oracle database into Einstein Analytics? Choose 2 answers

- \* Use the Salesforce SOAP interface.
- \* Use the Analytics External Data API.
- \* Use Oracle database connector.
- \* Load the data as a CSV file.

**NO.84** A dataset for building the Einstein Discovery story contains 72 fields that are potentially relevant predictors.

Which approach is considered best practice to assess the top predictors in order to get to a meaningful and robust model?

- \* This dataset is too big and cannot be used in Einstein Discovery. Request a new dataset with fewer predictors.
- \* Build the story with all the predictors and indicate that Einstein Discovery should show the top predictors.
- \* Go back to the data preparation and reduce the number of fields to less than 30 in order to produce a story.
- \* Build a story with a first set of predictors and assess which predictors are important to the story. Then drop the less important ones and add the predictors that were omitted in the first run and assess their impact.

Reference:

<https://medium.com/@kshannon565/ea-certification-study-guide-part-3-einstein-discovery-story-design-70ffbe4666c2>

**NO.85** Max story creations per org per month

- \* 1000 (can purchase more)
- \* 500 (can purchase more)
- \* 200 (can purchase more)
- \* 500

**PDF Download Salesforce Test To Gain Brilliant Result!:** <https://www.vceprep.com/ANC-201-latest-vce-prep.html>