


P_SECAUTH_21 Exam Questions - Real & Updated Questions PDF [Q23-Q42]



P_SECAUTH_21 Exam Questions - Real & Updated Questions PDF [Q23-Q42]

P_SECAUTH_21 Exam Questions - Real & Updated Questions PDF
Pass Guaranteed Quiz 2023 Realistic Verified Free SAP

SAP P_SECAUTH_21 Exam Syllabus Topics:

TopicDetailsTopic 1- Authorization Concept for SAP Business Suite- Security Monitoring and Security AuditingTopic 2- Monitor security and troubleshoot security issues using Solution Manager- Describe and implement the authorization concept for SAP S- 4HANATopic 3- Describe the security goals, data privacy governance- Authorization, Security and Scenarios in SAP HANATopic 4- Describe and implement security in a SAP NetWeaver Application Server and related infrastructure components- Authorization Concept for SAP S- 4HANATopic 5- Access Governance and Compliance in SAP- SAP Cloud Platform Security- Secure an SAP SystemTopic 6- Describe and implement the authorization concept for SAP Business Suite- SAP Netweaver Application Server and Infrastructure Security

QUESTION 23

You want to launch classic SAP GUI transactions directly from the SAP Fiori Launchpad. Which of the following scenarios do you choose?

- * Chrome, SAP Enterprise Portal, SAP GUI for Java
- * Chrome, SAP Cloud Platform, SAP GUI for Java
- * Internet Explorer, ABAP front-end server, SAP GUI for Windows
- * Internet Explorer, SAP Business Client, SAP GUI for Windows

QUESTION 24

To enable access between tenant databases, what do you need to do in an SAP HANA system for multitenant database containers?

Note: there are 3 correct answers to this question.

- * The bi-directional communication channel must be in the allow list.
- * The user in the source system must be associated with a user in the target database.
- * The user in the source system must have sufficient privileges in the target database.
- * The cross-tenant database communication must be explicitly activated.
- * The INIFILE ADMIN system privilege must be assigned.

QUESTION 25

For which purpose do you use instance Secure Storage File System (SSFS) in an SAP HANA system? Note: There are 2 correct answers to this question.

- * To protect the password of the root key backup
- * To store root keys for data volume encryption
- * To store the secure single sign-on configuration
- * To protect the X.509 public key infrastructure certificates

QUESTION 26

You verified the password of the TMSADM user in your SAP landscape to be SAP defaulted. You want to reset this password by using program TMS_UPDATE_PWD_OF_TMSADM. What steps would you take to reset this password?

Note: There are 2 correct answers to this question

- * Run this program in the Domain Controller (client 000)
- * Lock TMSADM in all the system/clients including 000
- * Assign “SAP_ALL” to TMSADM in all systems/clients including 000
- * Deactivate the SNC opt on

QUESTION 27

Which authorization object is required to support trusted system access by an RFC user following the configuration of a Managed System in SAP Solution Manager?

- * S_RFCACL
- * S_ACL_HIST
- * S_RFC_TT
- * S_RFC_TTAC

QUESTION 28

Which characteristics apply to the SAP ID Service? Note: There are 2 correct answers to this question

- * Configurable password policy
- * Non-configurable MFA for SAP BTP Cockpit
- * Customizable user interface

- * User base owned and managed by SAP

QUESTION 29

What benefits does the SAP Cloud Connector have compared to a 3rd party reverse proxy solution, when connecting your SAP Cloud Platform with your SAP backend systems? Note: There are 2 correct answers to this question.

- * It establishes an SSL VPN tunnel to SAP Cloud Platform
- * It allows for remote invocation by the SAP Cloud Platform only
- * It can cache SAP proprietary OData packets to improve the response times
- * It supports multiple application protocols, such as HTTP and RFC

QUESTION 30

What can you maintain in transaction SU24 to reduce the overall maintenance in PFCG? Note: There are 3 correct answers to this question.

- * The default values so they are appropriate for the transactions used in the roles
- * The authorization objects that are not linked to transaction codes correctly
- * The default values in the tables USOBX and USOBT
- * The default authority check settings for the role maintenance tool
- * The authorization objects that have unacceptable default values

QUESTION 31

How do you check when and by whom profiles were assigned or deleted?

- * Run report RSUSR008_009_NEW with appropriate filters
- * Run report RSUSR100 with appropriate filters
- * Check system trace using transaction ST01
- * Check security audit log using transaction SM20

QUESTION 32

The security administrator is troubleshooting authorization errors using transaction SU53. While running transaction MM50, the user received the following error.

“You are not authorized to use transaction MM01”

The user’s position in the organization makes it inappropriate for them to have direct access to transaction MM01 because it creates a Segregation of Duties conflict.

How can the security administrator resolve the issue and still provide the user with the needed access to MM50?

- * Set the check indicator (for the transaction authorization called by the MM01 transaction) to NO, using transaction SE97 for transaction MM50.
- * Set the check indicator value for object S_TCODE in the SU24 data for transaction MM01 to Do Not Check.
- * Remove transaction MM01 as a CALLING transaction from table TCDCOUPLES.
- * Set the value for instance parameter auth/no_check_in_some_cases to N.

QUESTION 33

What does the SAP Security Optimization Service provide? Note: There are 2 correct answers to this question.

- * Analysis of the security vulnerabilities within an SAP landscape

- * Results containing the list of patches that have to be applied.
- * Configuration checks of SAP systems
- * Analysis of the network configuration

QUESTION 34

Which Object ID is used to integrate Business Rule Framework (BRF+) to Multi Step Multi Process (MSMP) initiator workflow?

- * Function ID
- * Application ID
- * Process ID
- * Expression ID

QUESTION 35

Which communication protocols are supported by the SAP Cloud Connector? Note: There are 2 correct answers to this question

- * NNTP
- * LDAP
- * SNA
- * RFC

QUESTION 36

You want to check the custom ABAP codes in your system for security vulnerabilities and you want to use the SAP Code Vulnerability Analyzer to carry out these extended security checks. What need to be done for this purpose? Note: There are 2 correct answers to this question

- * Run SAP Code Vulnerability Analyzer from the ABAP Test Cockpit
- * Run SAP Code Vulnerability Analyzer from the transaction ST01
- * Run the transaction ST12 to start the analysis
- * Run the extended syntax check from the SLIN transaction

QUESTION 37

Where does SAP HANA store the values for the default Password Policy parameter? Note: there are 2 correct answers to this question.

- * attributes.ini
- * indexserver.ini
- * nameservice.ini
- * global.ini

QUESTION 38

How can you describe the hierarchical relationships between technical entities in the Cloud Foundry?

- * A global account can have one or many subaccounts
- * A SaaS tenant acts as one provider account.
- * A SaaS tenant acts as one Cloud Foundry Organization.
- * A subscription is a PaaS tenant.

QUESTION 39

Which of the following function can be used to troubleshoot authorization errors for ABAP CDS views with Authorization based on

Access Control?

- * E2E TRACE ANALYSIS
- * ABAP TRACE
- * REPORT RSUSR008_009
- * STAUTHTRACE

QUESTION 40

A system user created a User1 and a schema on the HANA database with some data. User2 is developing modelling views and requires access to objects in User1's schema. What needs to be done?

- * User1 should grant _SYS_REPO with SELECT WITH GRANT privilege
- * User2 needs to be granted with the same roles like User1
- * System user should grant User2 with SELECT privilege to User1's schema
- * ROLE ADMIN needs to be granted to User2

QUESTION 41

You have implemented CUA in your organization and you only want to compare the company address data between the central system and child systems to perform the synchronization activities. Which transaction do you use for comparing the company address between these systems?

- * SCUG
- * SCUM
- * SUCOMP
- * SCUC

QUESTION 42

You verified the password of the TMSADM user in your SAP landscape to be SAP defaulted. You want to reset this password by using program TMS_UPDATE_PWD_OF_TMSADM. What steps would you take to reset this password?

Note: There are 2 correct answers to this question

- * Run this program in the Domain Controller (client 000)
- * Lock TMSADM in all the system/clients including 000
- * Assign SAP_ALL to TMSADM in all systems/clients including 000
- * Deactivate the SNC option

Get to the Top with P_SECAUTH_21 Practice Exam Questions:

https://www.vceprep.com/P_SECAUTH_21-latest-vce-prep.html