

## [Q37-Q51] Oracle CPQ 2022 Implementation Professional Practice Tests 2023 Pass 1z0-1033-22 with confidence!



Oracle CPQ 2022 Implementation Professional Practice Tests 2023 | Pass 1z0-1033-22 with confidence!  
Practice Oracle CPQ Cloud 1z0-1033-22 exam. Online Exam Practice Tests with detailed explanations!

**Q37.** A use case requires displaying 250 rows of data to a user and allowing the user to interact with the data in a mobile interface.

What is the Oracle-recommended method for displaying an interactive 250-row data set in a Configurator?

- \* Split the data into two array sets and use logic to show the relevant set of data.
- \* Use an HTML attribute to display the data and use JavaScript to create interactivity.
- \* Use an array set to show this data.
- \* You do not have a good option because 250 rows are too much to display on the screen of a Configurator.

**Q38.** A new user group has been created in the development environment. What should you do to migrate this new user group to the production environment?

- \* Migrate Commerce to the production environment.
- \* Migrate the new user group to the production environment.
- \* Manually create the new user group in the production environment.
- \* Migrate the new users to the production environment.

**Q39.** Given the following code:

```
var = "25";
```

```
if (isnumber (var)) {  
_____  
} else {  
results = "NaN";  
}
```

Which statement will return the value for results as 25.0 when it is put in place of the blank line shown above the `}else{` statement?

- \* results = atoi (var);
- \* results = atof (var);
- \* results = stringtointeger (var);
- \* results = stringtofloat (var);

**Q40.** Identify two ways in which you can display a message to a user while using simple table-based lookups for an attribute. (Choose two.)

- \* defining an advanced BML (CPQ Cloud Language) function for that attribute
- \* setting the message type as Static Entry when selecting an attribute to populate
- \* setting the message type as Table Column when selecting an attribute to populate
- \* defining a static text message for that attribute

**Q41.** When designing an integration with an ERP system, you must communicate with a third party integration tool (such as a middleware or a hub).

Which three methods can be used to communicate with a middleware in this scenario? (Choose three.)

- \* Automated FTP
- \* urldata function call in a Commerce Advanced Modification BML function
- \* Formula Management
- \* Commerce Integration XSLs on an Action
- \* Send XML on a Transition Rule via Real Time Integration
- \* Commerce Integration Cloud Service Integration on an Action
- \* DataCube Reporting

**Q42.** The following BML code in Config encountered an HTTP 404 error from someurl.com.

```
urldatapost ("http://someurl.com", "a1=v1&a2=v2", "call failed")
```

Which two statements are true? (Choose two.)

- \* An unhandled exception will be displayed in red text at the top of the configuration screen.
- \* The HTTP error will be captured in the CPQ Cloud Error Logs: bm.log.
- \* An HTTP error will be displayed in red text with the message `HTTP 404 Not Found`; at the top of the configuration screen.
- \* The call will return `call failed`;

\* The call will return HTTP 404 Not Found;

**Q43.** When using Web Services 1.0, consider the following sequence of a client system calling CPQ Cloud WebServices.

1. Call Security Login WebServices with User ID and Password.
2. Create a Commerce update Transaction WebServices call by using an existing transaction ID.
3. Make the following updates in the web service XML:

Set Session ID.

Set `_shipTo_first_name` to `myName`;

4. Submit the Webservice call.
5. Call Security Logout WebServices with the Session ID to close the session.

Based on the given sequence, which two statements are true? (Choose two.)

- \* Step 5 is unnecessary. Session ID is not needed to log out.
- \* The call in step 4 will throw an error.
- \* Step 3 does not specify an action to execute; therefore, nothing is updated in the transaction.
- \* The session will still be open.
- \* The Commerce transaction should be updated with the new Ship To name.

**Q44.** How can you prevent users with the RestrictedAccess user type from creating a new transaction using Transaction Manager?

- \* Go to the Commerce Process admin page and open the participant profiles of the start step. Remove all user access rights entries for RestrictedAccess
- \* Navigate to the Process Invocation admin page and remove the user access rights entries for RestrictedAccess for all pages.
- \* Open the Commerce Process admin page, navigate to Process Actions, click Access Rights for the New Transaction action, and remove all company type and user type RestrictedAccess entries.
- \* Open the Commerce Process admin page, navigate to Process Manager, click Access Rights, and make sure that RestrictedAccess user type is not selected.

**Q45.** In order to obtain additional sets of records when performing a REST call, which of the following sample URLs would a user use to obtain an additional 1000 records?

- \* <https://testsite.bigmachines.com/rest/v1/commerceDocumantsExampleTransactions?totalResults=1000>
- \* <https://testsitebigmachines.com/rest/v1/commerceDocumantsExampleTransactions?pfset=1000>
- \* <https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampleTransactions?set=1000>
- \* <https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampletransactions?limit=1000>

**Q46.** How should an administrator set up a conditional restriction for access to a Product Family?

- \* by providing conditional access criteria in the Restricted Access section of the home page setup
- \* by setting up a restricted profile and user group in Commerce and hiding the add, reconfigure, and delete product options
- \* by hiding the model Punch-In on the home page by using JavaScript
- \* by writing a Constraint rule at the Product Family level

**Q47.** When doing a part search from home page, you have the Create Quote button to create a new Transaction.

How do you change the label of this button?

- \* Open the Commerce Process admin page, navigate to Process Actions, and change the label of the `_action_new_transaction`; action.
- \* Go to the Process Invocation admin page, open the Part Search Results page, select navigation `Rules`; of the action that has the type `Start`;, and change the name of the invocation rule which points to the right commerce process.
- \* Go to the Process Invocation admin page, open the Part Search Results page, and change the name of the action that has the type `Start`;
- \* Open the Text Administration admin page, go to `C`;, change the entry `Create Quote`; and enter `Translated Text.`;

**Q48.** Identify the three data types available for part custom fields. (Choose three.)

- \* `Currency`;
- \* `Float`; can be changed to `Integer`;
- \* `String`; can be changed to `Single Select Menu`;
- \* `Boolean`;
- \* `Date`; can include time
- \* `Multi Select Menu`;

**Q49.** Which attribute type cannot be displayed on the line item grid?

- \* Single-select menu attributes
- \* Currency attributes
- \* HTML attributes
- \* Text attributes

**Q50.** Which two items are necessary to migrate between environments? (Choose two.)

- \* Environments must have similar urls (for example, testcustomer and devcustomer).
- \* Environments must be on the same major release (for example, 2016R2).
- \* Environments must be on the same minor release (for example, 2016R2 update 2).
- \* Administrators must have FullAccess logins for both environments.
- \* Entities to be migrated must be deployed within 24 hours of the migration.

**Q51.** A customer attempts to set up Subscription Ordering on their site using the steps outlined in the ABO Implementation Guide. The site has been previously set up with BOM Mapping for a specific model. Upon testing the Subscription Ordering functionality for this model, they notice that no values are populated in the Action Code Transaction Line level attribute when adding line items to their Transaction.

Which statement is true?

- \* They added an incorrect reverse mapping entry for the model in the Oracle\_aboPart2Model table (Admin > Data Tables).
- \* They selected an incorrect function for the `BML Util Function`; selection under BOM settings (Admin > BOM > Declare Util Function).
- \* They specified an incorrect site URL in the abo\_initializeContext BML Util Library function (Admin > BML Library).
- \* They provided incorrect BOM Mapping values for the model in the BOM Item Definition and BOM Item Mapping tables (Admin > Data Tables).
- \* They failed to incorporate conditionals to handle action code statuses in the formula for the Price (List) Transaction attribute (Admin > Process Definition > Formulas).

### Oracle 1z0-1033-22 Exam Syllabus Topics:

TopicDetailsTopic 1- Use the available Users tools in CPQ Cloud- Use the available Commerce and Documents tools in CPQ CloudTopic 2- Use the available Style and Template tools in CPQ Cloud- Use the available General tools in CPQ CloudTopic 3- Style and Templates- Commerce and Documents- Developer ToolsTopic 4- Use the available Product tools in CPQ CloudTopic 5- Use the available tools in the Integration Platform of CPQ Cloud- Use the available Developer Tools on CPQ Cloud

**The best 1z0-1033-22 exam study material and preparation tool is here:**

<https://www.vceprep.com/1z0-1033-22-latest-vce-prep.html>