


2023 2V0-41.20 Question Bank Free PDF Download Recently Updated Questions [Q30-Q48]



2023 2V0-41.20 Question Bank: Free PDF Download Recently Updated Questions
2V0-41.20 Certification Exam Dumps with 95 Practice Test Questions

To prepare for the VMware 2V0-41.20 exam, candidates can take advantage of various resources, such as self-paced training, instructor-led training, and practice exams. VMware also provides a detailed exam guide that outlines the topics and skills that are covered in the exam.

NEW QUESTION 30

An NSX administrator has configured a load balancer virtual server on a Tier-1 Gateway.

In order to advertise the load balancer virtual IP to the Tier-0 Gateway, which route advertisement configuration has to be done on the Tier-1 Gateway? (Choose two.)

- * Advertise All LB SNAT IP Routes
- * All Static Routes
- * Information
- * Advertise All LB VIP Routes
- * Advertise All NAT Routes

Reference:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-EEBA627A-0860-477A-95A7-7645BA562D62.html>

NEW QUESTION 31

Which two commands are used to query the arp-table of a logical switch? (Choose two.)

- * get logical-switch arp-table <logical-switch-uuid>
- * get logical-switch arp-table <vni>
- * get logical-switch arp-table
- * get logical-switch <logical-switch-uuid> arp-table
- * get logical-switch <vni> arp-table

NEW QUESTION 32

Which command is used to display the network configuration of the Tunnel Endpoint (TEP) IP on a bare metal transport node?

- * ifconfig
- * tcpdump
- * debug
- * ipconfig

NEW QUESTION 33

An NSX administrator noticed that the nsxcli command times out after 600 secs of idle time.

Which CLI command disables the nsxcli time out value on NSX Manager?

- * set cli-timeout 0
- * set cli-timeout enabled
- * set cli-timeout disabled
- * set cli-timeout 1

NEW QUESTION 34

An NSX administrator has configured a KVM hypervisor as a transport node.

Which kernel module on KVM implements a N-VDS?

- * openvswitch
- * etherswitch
- * nsx-vswitch
- * dyswitch

NEW QUESTION 35

Which command is used to display the network configuration of the Tunnel Endpoint (TEP) IP on a bare metal transport node?

- * ifconfig
- * tcpdump
- * debug
- * ipconfig

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-B7E7371E-A9F6-4880-B184-E00A62C0C818.html>

NEW QUESTION 36

Which is correct when deploying a NSX Edge in a KVM only environment?

- * deploy NSX Edge VM with QCOW2 image
- * deploy NSX Edge VM with ISO image
- * deploy NSX Edge on a bare-metal server
- * deploy NSX Edge VM with OVF template

NEW QUESTION 37

Which three functions require a Services Router (SR) component on an Edge node? (Choose three.)

- * Service Insertion
- * Distributed Routing
- * Packet Forwarding
- * Gateway Firewall
- * Distributed Firewall
- * Virtual Private Network

NEW QUESTION 38

Which step must be performed before deploying an additional NSX Manager from the NSX-T UI?

- * Prepare the ESXi hosts as Transport Nodes.
- * Configure the Virtual IP of the cluster.
- * Register vCenter Server as a Compute Manager.
- * Create an Edge Cluster.

NEW QUESTION 39

How is the intra-tier transit link connection created between SR and DR for a Tier-0 Gateway?

- * Manually create a gateway interface and mark it as transit.
- * Automatically created when DR is created.
- * Automatically created when SR is initialized.
- * Manually create external uplink interface and mark it as transit.

Reference: <https://blogs.vmware.com/networkvirtualization/2018/01/nsx-t-routing-part-2.html/>

NEW QUESTION 40

Where are Distributed Firewall logs containing access decisions stored?

- * NSX API
- * NSX Edge
- * NSX Manager
- * Hypervisor transport node

NEW QUESTION 41

Which command is used to display the network configuration of the Tunnel Endpoint (TEP) IP on a bare metal transport node?

- * ifconfig
- * tcpdump
- * debug

* ipconfig

Explanation

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-B7E7371E-A9F6-4880-B184->

NEW QUESTION 42

Which three services are compatible with VRF Lite? (Choose three.)

- * VPN
- * Intrusion Detection
- * NAT
- * Load Balancer
- * DHCP

Explanation

VRF Lite is not compatible with the following services:

-VPN

-Load Balancer

Taken from NSX-T ICM 3.0 Lecture Manual.

NEW QUESTION 43

Which network tool could an administrator use on an ESXi 7 host to capture packets when troubleshooting connectivity issues?

- * Wireshark
- * pktcap-uw
- * net-stats
- * tcpdump

If you do when troubleshooting connectivity issues on your Virtualization environment. This post will help you to capture Network traffic on ESXi host using pktcap-uw tool.

NEW QUESTION 44

Which two statements describe the characteristics of an Edge Cluster in NSX-T 3.0 Data Center? (Choose two.)

- * can have a maximum of 8 edge nodes
- * must have only active-active edge nodes
- * can have a maximum of 10 edge nodes
- * can contain multiple types of edge nodes (VM or bare metal)
- * must contain only one type of edge nodes (VM or bare metal)

NEW QUESTION 45

How is the RouterLink port created between a Tier-1 Gateway and Tier-0 Gateway?

- * Automatically created when Tier-1 is created.
- * Manually create a Segment and connect to both Tier-1 and Tier-0 Gateways.
- * Manually create a Logical Switch and connect to both Tier-1 and Tier-0 Gateways.
- * Automatically created when Tier-1 is connected with Tier-0 from NSX UI.

Reference:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-3F163DEE-1EE6-4D80-BEBF-8D109FDB577C.html>

NEW QUESTION 46

When running nsxcli on an ESXi host, which command will show the Replication mode?

- * get logical-switch <Local-Switch-UUID> status
- * get logical-switch <Logical-Switch-UUID>
- * get logical-switches
- * get logical-switch status

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264605c-a5e1-49a8-b603-cc78621eeeab/cli.html#get%20logical-switch%20%3Clogical-switch-id%3E%202>

NEW QUESTION 47

Which two BGP configuration parameters can be configured in the VRF Lite gateways? (Choose two.)

- * Route Aggregation
- * Route Distribution
- * Graceful Restart
- * BGP Neighbors
- * Local AS

Explanation

The following parameters are inherited from the default Tier-0 gateway and cannot be modified at the VRF level:

- * Local AS
- * Graceful restart
- * Graceful restart timer
- * Graceful restart stale timer
- * Multipath relax

Inter-SR iBGP is not supported in VRF gateways.

BGP can be enabled or disabled per VRF gateway.

Route aggregation and BGP neighbors are local configurations per VRF.

NEW QUESTION 48

An NSX administrator has configured a load balancer virtual server on a Tier-1 Gateway.

In order to advertise the load balancer virtual IP to the Tier-0 Gateway, which route advertisement configuration has to be done on the Tier-1 Gateway? (Choose two.)

- * Advertise All LB SNAT IP Routes
- * All Static Routes

- * Information
- * Advertise All LB VIP Routes
- * Advertise All NAT Routes

Explanation

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-EEBA627A-0860-477A-95>

New 2V0-41.20 Exam Dumps with High Passing Rate: <https://www.vceprep.com/2V0-41.20-latest-vce-prep.html>