


[2023 New C-DS-42 exam dumps Use Updated SAP Exam [Q24-Q48]



[2023] New C-DS-42 exam dumps Use Updated SAP Exam
Verified C-DS-42 Dumps Q&As - C-DS-42 Test Engine with Correct Answers

SAP C_DS_42 exam is a vendor-specific certification that is recognized globally and is designed to test the practical skills of candidates in data integration with SAP Data Services 4.2. C-DS-42 exam covers a wide range of topics such as data extraction, data transformation, data quality, and data management. C-DS-42 exam is divided into two parts, with the first part focusing on theoretical knowledge and the second part on practical skills. SAP Certified Application Associate - Data Integration with SAP Data Services 4.2 certification is ideal for professionals who want to enhance their skills in data integration and work with SAP Data Services technology.

SAP C-DS-42 certification exam is a valuable credential for professionals who work with SAP Data Services 4.2. SAP Certified Application Associate - Data Integration with SAP Data Services 4.2 certification validates the candidate's knowledge and skills in data integration with SAP Data Services 4.2 and enhances their career prospects. SAP Certified Application Associate - Data Integration with SAP Data Services 4.2 certification also helps organizations to identify and hire professionals with the requisite skills and knowledge to work with SAP Data Services 4.2.

QUESTION 24

A target column named ZIP4 requires the input of the source columns: POSTCODE and EXTENSION. For example:

POSTCODE:99999

EXTENSION: 9999

Desired result is ZIP4:99999-9999

- * POSTCODE AND '‘-'‘ AND EXTENSION
- * rpad_ext(POSTCPDE,EXTENSION)
- * POSTCODE +’-*+ EXTENSION
- * POSTCODE ||’-'‘|| EXTENSION

QUESTION 25

What does the expression SUBSTR(FIRST NAME, 1,3) return?

- * U
- * M
- * FIR
- * IRS

QUESTION 26

You modified an existing SAP data Services job. You notice that the run time is now longer than expected. Where in SAP Data Services can you observe the progress of row counts to determine the location of a bottleneck

- * On the view data tab
- * In the impact and lineage analysis
- * In the monitor log
- * In the trace log

QUESTION 27

What are standard component of SAP Dataservices? There are 3 correct answers

- * Job server
- * Design studio
- * Secure local repository
- * Access server
- * Real time services

QUESTION 28

What transform can you use to change the operation code from UPDATE to INSERT in SAP Data Services?

Note: There are 2 correct answers to this question

- * query
- * Key generation
- * Map operation
- * History Preserving

QUESTION 29

You are loading a database table using SAP Data Services. Which loading options are valid? Note: There are 3 correct answers to this question.

- * Abap execution option
- * Number of loader
- * Rows per commit
- * Data transfer method
- * Include in transaction

QUESTION 30

How to Use a WHERE clause to select only customers in North America

(North American countries are United States, Canada, and Mexico which have COUNTRYID values of 1, 2, and 11)?

- * In the Query editor, choose the WHERE tab
- * Enter the where clause, customer.COUNTRYID in (1,2,11)
- * To save all changes, choose OK
- * Confirm that 22 records were loaded

QUESTION 31

When you log in to the Management Console, Where you must log in as a user defined?

- * Central Management Server (CMS)
- * Management Console
- * Data Services Management Console
- * Management Console navigation

QUESTION 32

A target column named ZIP4 requires the input of the source columns: POSTCODE and EXTENSION. For example:

POSTCODE:99999

EXTENSION: 9999

Desired result is ZIP4:99999-9999

- * POSTCODE AND '‘-'‘ AND EXTENSION
- * rpad_ext(POSTCPDE,EXTENSION)
- * POSTCODE +’-*+ EXTENSION
- * POSTCODE ir-‘|| EXTENSION

QUESTION 33

Your customer has rules requiring that each row in the source be tested for certain criteria in a specific order.

When a row passes one criteria, it should

NOT be tested for the next criteria.

How should this be implemented using SAP Data Services transforms?

Please choose the correct answer.

- * Use multiple Query transforms with one WHERE? clause per rule.

Connect all queries to the source.

. Use a Case transform with the Row Can Be True for One Case

Only and Preserve Expression Order options enabled.

- * se a Case transform with the Produce Default Output with Label option enabled, and enable the Preserve Expression Order checkbox.
- * Use a Validation transform and add the rules in the proper order for each single column.

QUESTION 34

What task can you perform in the SAP Data Services Management Console? Note: There are 3 correct answers to this question

- * Debug a dataflow to find data issues
- * Display the optional Validation Transform statistics
- * View the rows and the values being loaded
- * Schedule a job for daily execution
- * Display trace and monitor and error logs.

QUESTION 35

You need to import metadata and extract data from an SAP ERP system using SAP Data Services. Which type of datastore must you use?

- * Database datastore
- * Application datastore
- * Web Services datastore
- * Adapter datastore

QUESTION 36

In which parameter the number of seconds to sleep before the Data Profiler checks for completion of an invoked task. Invoked tasks run synchronously, and the Data Profiler must check for their completion?

- * Invoke sleep interval (seconds)
- * Submit sleep interval (seconds)
- * Inactive interval (minutes)
- * Active Interval (Seconds)

QUESTION 37

You modified an existing SAP data Services job. You notice that the run time is now longer then expected.

Where in SAP Data Services can you observe the progress of row counts to determine the location of a bottleneck

- * On the view data tab
- * In the impact and lineage analysis
- * In the monitor log

- * In the trace log

QUESTION 38

You source table has a revenue column and a quantity column for each month. You want to transform this data to get a table containing twelve rows with two columns.

What is the best way to achieve this in SAP Data services?

- * Use twelve query transform to create the desired output. Then combine these transforms.
- * Use the query transform with multiple IFTHENELSE() functions.
- * Use the merge transform that is connected to the source
- * Use the pivot transform with two pivot sets.

QUESTION 39

By which application you do View, analyze, and print graphical representations of all objects as depicted in the Designer including their relationships, properties, and more?

- * Administrator
- * Impact and Lineage Analysis
- * Operational Dashboard
- * Data Validation Dashboard
- * Auto Documentation
- * Data Quality Reports

QUESTION 40

How to Connect the source table to the target table?

- * Click the right side of the source table.
- * Hold the left mouse button down while dragging to the left side of the target table.
- * To save changes, choose OK.
- * Choose Execute

QUESTION 41

In the workspace for Alpha_Product_DF, How to add the product table from the Alpha datastore as the source object?

- * In the Project area, right-click the project name and, in the context menu, choose New Batch Job .
- * In the Local Object Library , choose the Datastores tab.
- * Select the product table from the Alpha datastore.
- * Drag the table to the data flow workspace and choose Make Source.

QUESTION 42

By which application you do Evaluate the reliability of your target data based on the validation rules you created in your batch jobs. Quickly review, assess, and identify potential inconsistencies or errors in source data?

- * Administrator
- * Impact and Lineage Analysis
- * Operational Dashboard
- * Data Validation Dashboard
- * Auto Documentation
- * Data Quality Reports

QUESTION 43

From the account table you want to know how many accounts you have per account type. The ACCOUNT_TYPE is output along with an additional column COUNTER. The group by tab of the query transform is used with ACCOUNT_TYPE. Which mapping would you use for the COUNTER column in SAP Data Services?

- * count_distinct(Account_TYPE)
- * Count(*)
- * Sum(Account_type)
- * Gen_Row_Num()

QUESTION 44

Contains repository names associated with the Job Server on which you run_____?

- * Batch
- * Real-Time
- * Adapters
- * Profiler

QUESTION 45

You built a delta load dataflow in SAP Data Services. This Dataflow is executed every night. The source table contains a CHANGE_DATE column which is populated by the database when the row is saved.

What can a timestamp based CDC approach identify in the source based on this CHANGE_DATE column

- * Inserted and updated rows but not delete rows
- * Insert, updates and deletes for a specified time range.
- * Update rows but NOT insert or deleted records.
- * Every single change made to a row

QUESTION 46

A Map operation transform in SAP Data Services was used to modify the operation code of data is being processed. Why do you perform this action?

- * To ensure compatibility with subsequent transforms
- * To push the data down for better performance
- * To increase the speed that the database loads
- * To control how the data is loaded.

QUESTION 47

You must calculate the total value of all orders, including their discounts, for reporting purposes. Currently these details are found in different tables.

Use the sum function to calculate the total value of orders in the Order_Details table.

How to in the Query transform, create a new output column

TOTAL_VALUE , which will hold the new calculation.

- * To map the ORDERID column from the input schema to the same field in the output schema, select ORDERID and drag to the

output schema

- * In the output schema, right click ORDERID and choose New output column.
- * Choose the Where tab or the From tab.
- * Choose Insert Below.

QUESTION 48

You want to execute two dataflows in parallel in SAP Data Services. How can you achieve this?

- * Create a workflow containing two dataflows and connect them with a line.
- * Create a workflow containing two dataflows without connecting them with a line.
- * Create a workflow containing two dataflows and deselect the execute Only once property of the workflow.
- * Create a workflow containing two dataflows and set a degree of parallelism to 2.

Pass Your C-DS-42 Dumps as PDF Updated on 2023 With 82 Questions:

<https://www.vceprep.com/C-DS-42-latest-vce-prep.html>