


[2024 1Z0-082 Answers 1Z0-082 Free Demo Are Based On The Real Exam [Q81-Q97]



[2024] 1Z0-082 Answers 1Z0-082 Free Demo Are Based On The Real Exam
1Z0-082 [Jan-2024 Newly Released] Exam Questions For You To Pass

Oracle 1Z0-082 is a certification exam that focuses on database administration. 1Z0-082 exam is designed to test a candidate's knowledge and skills in managing and maintaining an Oracle database system. Passing 1Z0-082 exam is a crucial step towards becoming an Oracle Certified Associate (OCA) in database administration.

NO.81 What is true about non-equijoin statement performance? (Choose two.)

- * Table aliases can improve performance
- * The BETWEEN condition always performs better than using the >= and <= conditions
- * The join syntax used makes no difference to performance
- * The BETWEEN condition always performs less well than using the >= and <= conditions
- * The Oracle join syntax performs better than the SQL:1999 compliant ANSI join syntax

<https://stackoverflow.com/questions/58476906/1z0-071-oracle-exam-question-which-answers-is-correc>

NO.82 Which two are true about shrinking a segment online? (Choose two.)

- * It is not possible to shrink either indexes or Index Organized Tables (IOTs)
- * It always eliminates all migrated rows if any exist in the table
- * To shrink a table it must have a PRIMARY KEY constraint
- * To shrink a table it must have a UNIQUE KEY constraint
- * To shrink a table it must have row movement enabled
- * It must be in a tablespace that uses Automatic Segment Space Management (ASSM)

https://docs.oracle.com/cd/B19306_01/server.102/b14200/statements_3001.htm

NO.83 Which two statements are true about substitution variables?

- * A substitution variable prefixed with & always prompts only once for a value in a session.
- * A substitution variable prefixed with to prompts only once for a value in a session unless it is set to undefined in the session
- * A substitution variable can be used only in a select statement.
- * A substitution variable used to prompt for a column name must be enclosed in single quotation marks.
- * A substitution variable can be used with any clause in a select statement.
- * A substitution variable used to prompt for a column name must be enclosed in double quotation marks.

NO.84 Which two statements are true regarding a SAVEPOINT? (Choose two.)

- * Rolling back to a SAVEPOINT can undo a CREATE INDEX statement
- * Rolling back to a SAVEPOINT can undo a TRUNCATE statement
- * Only one SAVEPOINT may be issued in a transaction
- * A SAVEPOINT does not issue a COMMIT
- * Rolling back to a SAVEPOINT can undo a DELETE statement

NO.85 The SALES_Q1 and USERS tablespaces exist in one of your databases and TEMP is a temporary tablespace.

Segment creation is not deferred.

You execute this command:

```
CREATE USER sales
  IDENTIFIED BY sales_123
  DEFAULT TABLESPACE sales_q1
  TEMPORARY TABLESPACE temp
  QUOTA 5M ON users;
```

Which three statements must be true so that the SALES user can create tables in SALES_Q1? (Choose three.)

- * The sales user must have a quota on the TEMP tablespace
- * The sales user must have a quota on the SALES_Q1 tablespace to hold the initial extends of all tables they plan to create in their schema
- * The sales user must have been granted the CREATE SESSION privilege
- * The sales user must have their quota on the users tablespace removed
- * The sales user must have a quota on the SALES_Q1 tablespace to hold all the rows to be inserted into any table in their schema
- * The sales user must have been granted the CREATE TABLE privilege

NO.86 Examine these commands:

```
[oracle@host01 ~]$ sqlplus u1/oracle
SQL> SELECT * FROM emp;
ENO          ENAME          DN
-----
1            Alan            2
2            Ben            2
SQL> exit
[oracle@host01 ~]$ cat emp.dat

3,Curl,4
4,Bob,4
[oracle@host01 ~]$ sqlldr u1/oracle TABLE=emp
```

Which two statements are true about the sqlldr execution? (Choose two.)

- * It overwrites data in EMP with data in EMP.DAT
- * It uses the database buffer cache to load data
- * It generates a log that contains control file entries, which can be used with normal SQL*Loader operations
- * It generates a sql script that it uses to load data from EMP.DAT to EMP
- * It appends data from EMP.DAT to EMP

NO.87 Which two statements are true about single row functions? (Choose two.)

- * MOD : returns the quotient of a division operation
- * FLOOR : returns the smallest integer greater than or equal to a specified number
- * TRUNC : can be used with NUMBER and DATE values
- * CONCAT : can be used to combine any number of values
- * CEIL : can be used for positive and negative numbers

Reference:

<https://docs.oracle.com/en/database/oracle/oracle-database/18/sqlrf/Single-Row-Functions.html#GUID-B93F789D-B486-49FF-BOC-D-0C6181C5D85C>

NO.88 Which three statements are true about roles?

- * All roles granted to a user are set on by default when the user logs in,
- * Object privileges may not be granted to roles.
- * The SET ROLE statement can disable one or more roles for a session.
- * Roles must be password protected.
- * Roles may be granted to roles.
- * The SET ROLE statement can enable one or more roles for a session.

NO.89 In the spfile of a single instance database, LOCAL_LISTENER is set to LISTENER_1.

The TNSNAMES.ORA file in \$ORACLE_HOME/network/admin in the database home contains:

```
LISTENER_1 =  
  (ADDRESS =  
    (PROTOCOL = TCP)  
    (HOST = host1.abc.com)  
    (PORT = 1521)  
  )
```

Which statement is true?

- * Dynamic service registration cannot be used for this database instance
- * The LREG process registers services dynamically with the LISTENER_1 listener
- * LISTENER_1 must also be defined in the LISTENER.ORA file to enable dynamic service registration
- * There are two listeners named LISTENER and LISTENER_1 running simultaneously using port 1521 on the same host as the database instances
- * The definition for LISTENER_1 requires a CONNECT_DATA section to enable dynamic service registration

Explanation/Reference: <https://docs.oracle.com/database/121/NETAG/listenercfg.htm#NETAG292>

NO.90 Which three statements are true about Oracle synonyms? (Choose three.)

- * A synonym cannot be created for a PL/SQL package
- * A synonym can be available to all users
- * A SEQUENCE can have a synonym
- * A synonym created by one user can refer to an object belonging to another user
- * Any user can drop a PUBLIC synonym

Explanation/Reference: https://docs.oracle.com/cd/B19306_01/server.102/b14200/statements_7001.htm

NO.91 Which two statements are true about Enterprise Manager (EM) Express?

- * You can use a single instance of EM Express to manage multiple database running on the same server.
- * EM Express uses a separate repository database to store target database metadata.
- * By default, EM express is available for a database after database creation using DBCA.
- * You can shut down a database instance using EM Express.
- * You cannot start up a database instance using EM Express.

NO.92 Which two statements are true about Enterprise Manager Database Express? (Choose two.)

- * It is available only when the database is open
- * It can be used to perform database recovery
- * The same port number can be used for Database Express configurations for databases on different hosts
- * It can be used to switch a database into ARCHIVELOGMODE
- * The same port number can be used for multiple Database Express configurations for multiple databases on the same host

NO.93 Examine the description of the PROMOTIONS table:

| Name | Null? | Type |
|----------------|----------|----------------|
| PROMO_ID | NOT NULL | NUMBER (6) |
| PROMO_NAME | NOT NULL | VARCHAR2 (30) |
| PROMO_CATEGORY | NOT NULL | VARCHAR2 (30) |
| PROMO_COST | NOT NULL | NUMBER (10, 2) |

You want to display the unique promotion costs in each promotion category.

Which two queries can be used? (Choose two.)

- * SELECT promo_cost, promo_category FROM promotions ORDER BY 1;
- * SELECT DISTINCT promo_cost || '‘ in '‘ || DISTINCT promo_category FROM promotions ORDER BY 1;
- * SELECT DISTINCT promo_category || '‘ has '‘ || promo_cost AS COSTS FROM promotions ORDER BY 1;
- * SELECT promo_category, DISTINCT promo_cost FROM promotions ORDER BY 2;
- * SELECT DISTINCT promo_category, promo_cost FROM promotions ORDER BY 1;

NO.94 Which two statements are true about trace files produced by the Oracle Database server?

(Choose two.)

- * They can be written by server processes
- * Trace files are written to the Fast Recovery Area (FRA)
- * They can be written by background processes
- * All trace files contain error information that require contacting Oracle Support
- * Trace file names are based on the database name concatenated with a sequential number

https://gerardnico.com/db/oracle/trace_file

NO.95 Which three statements are true concerning logical and physical database structures? (Choose three.)

- * All tablespaces may have one or more data files
- * The extents of a segment must always reside in the same datafile
- * A smallfile tablespace might be bigger than a bigfile tablespace
- * A segment can span multiple data files in some tablespaces
- * A segment's blocks can be of different sizes
- * A segment might have only one extent
- * Segments can span multiple tablespaces

NO.96 You execute this query:

```
SELECT TO_CHAR(NEXT_DAY(LAST_DAY(SYSDATE), 'MON&#8217;), 'dd &#8220;Monday for&#8221;  
fmMonth rrrr&#8217;)
```

What is the result?

- * It executes successfully but does not return any result
- * It returns the date for the first Monday of the next month
- * It generates an error
- * It returns the date for the last Monday of the current month

NO.97 Which two statements are true about the Automatic Diagnostic Repository (ADR)? (Choose two.)

- * The ADR base defaults to \$ORACLE_HOME/rdbms/admin if neither DIAGNOSTIC_DEST nor ORACLE_BASE is set
- * The ADR base defaults to \$ORACLE_HOME/dbs if the DIAGNOSTIC_DEST parameter and the ORACLE_BASE environment variable are not set
- * It supports diagnostics for Automatic Storage Management (ASM)
- * It supports diagnostics for Oracle Clusterware
- * It is held inside an Oracle database schema

The database, Oracle Automatic Storage Management (Oracle ASM), the listener, Oracle Clusterware, and other Oracle products or

components store all diagnostic data in the ADR. <https://docs.oracle.com/database/121/ADMIN/diag.htm#ADMIN11260>

New 2024 Realistic Free Oracle 1Z0-082 Exam Dump Questions and Answer:

<https://www.vceprep.com/1Z0-082-latest-vce-prep.html>