


## [Q110-Q127] Real Exam Questions ANC-301 Dumps Exam Questions in here [Jun-2024]



## [Q110-Q127] Real Exam Questions ANC-301 Dumps Exam Questions in here [Jun-2024]

Real Exam Questions ANC-301 Dumps Exam Questions in here [Jun-2024]

Get Latest Jun-2024 Conduct effective penetration tests using ANC-301

### QUESTION 110

A company uses role hierarchy to implement data security in Salesforce. They want the same role-hierarchy-based security model to apply in Einstein Analytics, but want the users in a role to see data owned by other users in the same role.

Using the `flatten` transformation, which attribute setting achieves this requirement?

- \* Set the attribute `self_joined` to true.
- \* Set the attribute `self_joined` to false.
- \* Set the attribute `include_self_id` to true.
- \* Set the attribute `include_self_id` to false.

Reference:

[https://help.salesforce.com/articleView?id=bi\\_integrate\\_flatten\\_transformation\\_operation.htm&type=5](https://help.salesforce.com/articleView?id=bi_integrate_flatten_transformation_operation.htm&type=5)

### QUESTION 111

When you assign any Analytics permission set to users in your org, Salesforce auto-assigns the Analytics Platform permission set license to that user.

- \* True
- \* False

### QUESTION 112

A consultant built a very useful Einstein Analytics app for Sales Operations, and they want to share its contents with the rest of Global Sales. However, they do not want to add everyone in Sales to their app. The consultant recommends extending the Sales Operations app and distributing it as an Einstein Analytics template app, but needs to locate specific information to get started.

```
{  
  "folderSource" : { "id" : "Sales Operations ID"}  
}
```

Given the code statement above, which endpoint should it be posted to?

- \* /services/data/v . /wave/apps
- \* /services/data/v . /analytics/wizard
- \* /services/data/v . /wave/templates
- \* /services/data/v . /analytics/projects

[https://developer.salesforce.com/docs/atlas.en-us.bi\\_dev\\_guide\\_rest.meta/bi\\_dev\\_guide\\_rest/bi\\_resources\\_templates.htm](https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_rest.meta/bi_dev_guide_rest/bi_resources_templates.htm)

### QUESTION 113

What does Einstein Analytics check when a user submits a query against a dataset?

- \* Whether the user has access to the app
- \* Which fields the user has access to
- \* If the user has access to the dataset
- \* Which rows the user has access to

### QUESTION 114

To use the Sales Analytics app, which permission set license do you need?

- \* Sales Wave
- \* Sales Analytics Apps
- \* Analytics Templated Apps
- \* Security User

Reference:

Each prebuilt Analytics app has its own PSL. When you set up permissions for those apps, select the right PSL. For Service Analytics, select `Service Analytics Apps`; For Event Monitoring, select `Event Monitoring Analytics Apps`; and so on.

### QUESTION 115

What's a good way to see which required questions in the configuration wizard don't have default values?

- \* Answer only questions that involve custom objects
- \* Try each option in the dropdown one at a time
- \* Download the app and run a SAQL query on the JSON
- \* Click `Looks good, next`; and look for questions highlighted in red

### QUESTION 116

What does the Division is Naval section of the waterfall graph tell you?

- \* How combinations of factors affect the CLV for Naval customers
- \* How individual factors separately affect the outcome for Naval customers
- \* What the relationship is between significant and insignificant factors as they impact CLV for Naval customers
- \* How the chosen variable is related to all other factors in the model for Naval customers

[https://trailhead.salesforce.com/en/content/learn/modules/dm\\_einstein\\_discovery\\_advanced\\_stories/dm\\_understand\\_why\\_it\\_happened\\_insights](https://trailhead.salesforce.com/en/content/learn/modules/dm_einstein_discovery_advanced_stories/dm_understand_why_it_happened_insights)

### QUESTION 117

What do Analytics apps do?

- \* Let you add new types of charts to Salesforce
- \* Alert you when you need a visa for an upcoming trip
- \* Use ready-made dashboards to tell easy-to-follow stories about your data
- \* Let you create configuration wizards to make Analytics setup easier

### QUESTION 118

After the initial creation of a story, the first story insight explains 93% of the variation of the outcome variable. This is unusual high?

What is the most likely multiple for this?

- \* The dataset contains multiple dominant values.
- \* The dataset contains too many rows.
- \* The dataset used in the story suffers from too many outlier values.
- \* The outcome variable is causing data leakage.

### QUESTION 119

A consultant built an Einstein Analytics dashboard for a company. The company then requested an enhancement to the dashboard and provided additional data that needs to be displayed. As a result, the consultant decides to [augment](#); the dataflow.

Which phrase describes this transformation?

- \* Add data based on the right-side grain
- \* Join data similar to an SQL statement
- \* Add data as a lookup relationship (left side is the lowest grain)
- \* Join data based on a many-to-many relationship

[https://trailhead.salesforce.com/en/content/learn/modules/wave\\_enable\\_data\\_integration\\_basics/wave\\_extract\\_salesforce\\_data](https://trailhead.salesforce.com/en/content/learn/modules/wave_enable_data_integration_basics/wave_extract_salesforce_data)

[https://help.salesforce.com/articleView?id=bi\\_integrate\\_augment\\_transformation.htm&type=5](https://help.salesforce.com/articleView?id=bi_integrate_augment_transformation.htm&type=5)

### QUESTION 120

The Universal Containers company uses Einstein Analytics to build dashboards for different departments: Sales, Service, and Marketing. Users for the same department have the same role and need to have access to the same dashboards. Dashboards for different departments use some common datasets with the same row-level security.

How can an Einstein Consultant address this need?

- \* Create one application for each department and use roles to share applications.
- \* Create one application for each department, put common datasets in the shared app, and use profiles to share applications.
- \* Create one application for each department, put common datasets in the shared app, and use roles to share applications.
- \* Create one application for each department, put common datasets in the shared app, and use permission sets to share applications.

### QUESTION 121

Results from an Einstein Discovery story are reviewed with a business user. They agree with the findings but noticed that none of the fields used in the story have a correlation value greater than 4%. The client is now concerned that the model may not be good enough to next steps?

- \* Rerun and update the story with a different algorithm.
- \* Proceed with deployment if the model quality metric values are sufficient.
- \* Edit the model accuracy settings and rerun the story.
- \* Identify additional data that may have a stronger relationship with the outcome variable.

### QUESTION 122

What can you do with the dataflow?

- \* Extract data from an external CSV file into Analytics
- \* Extract Salesforce object data into Analytics
- \* Build a dashboard
- \* Explore a dataset

### QUESTION 123

Which of these standard deviations is for a curve that has values that are the most spread out away from the average?

- \* 8
- \* 1
- \* 4
- \* 16

### QUESTION 124

The Tableau CRM team at a company has created three dataflows.

myDataflowOne: this dataflow takes 2 hours to run.

myDataflowTwo: this dataflow takes 1 hour and 30 minutes to run

myDataflowThree: this dataflow takes 1 minute and 30 seconds to run.

If all three dataflows run, how many count towards the limit?

- \* 3
- \* 0
- \* 1
- \* 2

### QUESTION 125

A consultant built an Einstein Analytics dashboard for a shipping company. The dashboard displays data from several data sources. The consultant enabled data sync (replication) to increase the speed of data refreshing from these sources.

What is the maximum number of dataflow definitions available in this situation?

- \* 45
- \* 35
- \* 25
- \* 30

Reference:

[https://help.salesforce.com/articleView?id=bi\\_limits.htm&type=5](https://help.salesforce.com/articleView?id=bi_limits.htm&type=5)

### QUESTION 126

What are Einstein Analytics prebuilt permission sets? Select 2:

- \* Einstein Analytics Platform Admin
- \* Einstein Analytics Platform User
- \* Einstein Analytics
- \* Einstein Analytics Superadmin

### QUESTION 127

As part of their analysis, Yasmine, Tonya, and Hadiqa need to create and save lenses to their project app. What is the minimum app role they need to do this?

- \* Manager
- \* Viewer
- \* Editor
- \* Designer

Save changes to existing dashboards, lenses, and datasets in the app (saving dashboards requires the appropriate permission set license and permission) available in Editor and Manager\*##\*##\*

**Authentic Best resources for ANC-301 Online Practice Exam:** <https://www.vceprep.com/ANC-301-latest-vce-prep.html>