


Get Prepared for Your C_C4H62_2408 Exam With Actual 82 Questions [Q18-Q36]



Get Prepared for Your C_C4H62_2408 Exam With Actual 82 Questions [Q18-Q36]

Get Prepared for Your C_C4H62_2408 Exam With Actual 82 Questions
Valid C_C4H62_2408 Test Answers Full-length Practice Certification Exams

NO.18 You need to push configuration changes from staging to production.

Considering the sites have the same name in both environments, what can you expect?

- * The API keys are different. The site settings need to be manually replicated.
- * The API keys are the same. The site settings need to be manually replicated.
- * The API keys are different. The site settings will be automatically replicated.
- * The API keys are the same. The site settings will be automatically replicated.

NO.19 You want to enable a new identity provider, but they require an SSL certificate for encrypted communication. What should you configure in the console?

- * Custom API domain
- * A central login page
- * Identity
- * Trusted site URLs

NO.20 Which authorization framework supports both coarse-grained and fine-grained authorization?

- * Access control based on lists and roles
- * Access control based on policies

- * Access control based on roles
- * Access control based on attributes

NO.21 The client would like to create a new optional consent for data sharing.

What consent type needs to be chosen?

- * Privacy Policy
- * Terms of Service
- * Subscription
- * Other consent statement

NO.22 You are creating a new dataflow with three components: Component ID: account/Component type:

datasource.read.gigya.account.Component ID: sftp / Component type: datasource.write.sftp. Component ID: json/Component type: file format.json. When you click the Save button, you get the error message shown in the screenshot below.

What can you change to make the dataflow execute successfully?

- * Change the configuration of the account component
- * Change the order of the components: account -> json -> sftp
- * Use connector type `Error path`; instead of `Success path`;
- * Change the configuration of the sftp component

NO.23 You are implementing a website that will allow users to log in using their existing company credentials by initiating an OIDC flow. How would you configure your website and SAP Customer Data Cloud?

- * SAP Customer Data Cloud as the IdP, and the website as the SP
- * SAP Customer Data Cloud as the SP, and the website as the OP
- * SAP Customer Data Cloud as the RP, and the website as the OP
- * SAP Customer Data Cloud as the RP, and the website as the IdP

NO.24 You want to use the CIAM for B2B Web SDK to return a list of permissions of the customer who is currently logged in.

Which API call should you use?

- * `gigya.accounts.b2b.auth.getAssets()`
- * `gigya.accounts.b2b.getOrganizationInfo()`
- * `gigya.accounts.getJWT()`
- * `gigya.accounts.getAccountInfo()` passing the value `Groups` to the `include` parameter.

NO.25 You are building a dataflow to synchronize existing users' subscriptions from the marketing system to SAP Customer Data Cloud. The marketing system will provide a PGP-encrypted file and place it on an

S3 bucket. All records failing to update will be zipped and sent back to the S3 bucket.

Which actions will you perform during the creation of the dataflow? Note: There are 2 correct answers to this question

- * Add a `file decrypt.pgp` component and a `file compress.zip` component.
- * Add a `file encrypt.pgp` component and a `file uncompress.zip` component.
- * Add an error handling step after a `datasource.write.gigya.account` component.
- * Add an error handling step after a `datasource.read.amazon.s3` component.

NO.26 You want a dataflow to run regularly.

What are the two best-practice options to configure this?

Note: There are 2 correct answers to this question.

- * Use the dataflow scheduler of the Console and add a schedule.
- * Use the `idx.setDataflow` endpoint via an API call.
- * Use extensions and schedule the dataflow using an extension endpoint.
- * Use the `idx.createScheduling` endpoint via an API call.

NO.27 How can you define privileges in the Console?

- * By using permission groups
- * By enabling auditing capabilities
- * By creating administrators and applications
- * By using IP restrictions

NO.28 You are a consultant on an SAP S/4HANA Cloud greenfield project.

Which of the following aspects should you focus on to achieve and maintain clean core data quality?

Note: There are 2 correct answers to this question.

- * Timeliness
- * Stability
- * Accuracy
- * Efficiency

NO.29 What are the key pages required to set up SAP Customer Data Cloud as a SAML identity provider?

Note: There are 2 correct answers to this question.

- * Assertion
- * Proxy
- * Error
- * Consent

NO.30 What is the function of the Assertion Consumer Service URL in a SAML implementation?

- * It enables the proxy page and its linked pages, such as login and error pages.
- * It asserts the logged-in status of the consumer.
- * It tells the IdP where to send the SAML response after authenticating a user.
- * It allows consumers to securely enter their SAML credentials.

NO.31 Which capabilities does the UI Builder provide? Note: There are 3 correct answers to this question.

- * Field mapping
- * Policy editor
- * Drag-and-drop visual editing
- * Hosted page editor
- * Language translation support

NO.32 How can you get the public certificate that is required to validate a JSON Web Token?

- * By downloading the certificate from the SAP Customer Data Cloud console
- * By calling the endpoint `accounts.getJWTPublicCertificate`
- * By requesting the certificate from the SAP Customer Data Cloud support team
- * By calling the endpoint `accounts.getJWTPublicKey`

NO.33 Which features can be overridden at child level when using site groups?

Note: There are 3 correct answers to this question.

- * Login identifier
- * Default login and registration screen-set
- * Data schema
- * New User Welcome email template
- * Web SDK configuration

NO.34 For browsers that block third-party cookies, what additional implementation steps can you take to ensure that SSO functions properly? Note: There are 2 correct answers to this question

- * Call `initSSO` in the `onLogin` handler after successful logins.
- * Set the `continueSSO` parameter to `true` in Global Configuration.
- * Configure a CNAME
- * Set `storageDomainOverride` for the group parent site in Global Configuration.

NO.35 How would a customer administrator grant someone access to their partner account?

- * By adding them to the list of authorized console users inside Customer Identity Access site settings
- * By using the Invite Member option in the organization console
- * By requesting they be granted access using the access request portal
- * By using the Invite Administrator option under Access Management – Administrators

NO.36 You are using SAP Enterprise Consent and Preference Management without SAP Customer Identity.

Which API call do you need to use to collect the consent?

- * `accounts.login`
- * `accounts.initRegistration`
- * `accounts.notifyLogin`
- * `accounts.setPolicies`

Accurate & Verified 2024 New C_C4H62_2408 Answers As Experienced in the Actual Test!:

https://www.vceprep.com/C_C4H62_2408-latest-vce-prep.html]