


Get Prepared for Your C_C4H62_2408 Exam With Actual 82 Questions [Q18-Q36]



Get Prepared for Your C_C4H62_2408 Exam With Actual 82 Questions [Q18-Q36]

Get Prepared for Your C_C4H62_2408 Exam With Actual 82 Questions
Valid C_C4H62_2408 Test Answers Full-length Practice Certification Exams

NO.18 You need to push configuration changes from staging to production.

Considering the sites have the same name in both environments, what can you expect?

- * The API keys are different. The site settings need to be manually replicated.
- * The API keys are the same. The site settings need to be manually replicated.
- * The API keys are different. The site settings will be automatically replicated.
- * The API keys are the same. The site settings will be automatically replicated.

NO.19 You want to enable a new identity provider, but they require an SSL certificate for encrypted communication. What should you configure in the console?

- * Custom API domain
- * A central login page
- * Identity
- * Trusted site URLs

NO.20 Which authorization framework supports both coarse-grained and fine-grained authorization?

- * Access control based on lists and roles
- * Access control based on policies

- * Access control based on roles
- * Access control based on attributes

NO.21 The client would like to create a new optional consent for data sharing.

What consent type needs to be chosen?

- * Privacy Policy
- * Terms of Service
- * Subscription
- * Other consent statement

NO.22 You are creating a new dataflow with three components: Component ID: account/Component type:

datasource.read.gigya.account.Component ID: sftp / Component type: datasource.write.sftp. Component ID: json/Component type: file format.json. When you click the Save button, you get the error message shown in the screenshot below.

What can you change to make the dataflow execute successfully?

- * Change the configuration of the account component
- * Change the order of the components: account -> json -> sftp
- * Use connector type `“Error path”` instead of `“Success path”`.
- * Change the configuration of the sftp component

NO.23 You are implementing a website that will allow users to log in using their existing company credentials by initiating an OIDC flow. How would you configure your website and SAP Customer Data Cloud?

- * SAP Customer Data Cloud as the IdP, and the website as the SP
- * SAP Customer Data Cloud as the SP, and the website as the OP
- * SAP Customer Data Cloud as the RP, and the website as the OP
- * SAP Customer Data Cloud as the RP, and the website as the IdP

NO.24 You want to use the CIAM for B2B Web SDK to return a list of permissions of the customer who is currently logged in.

Which API call should you use?

- * `gigya.accounts.b2b.auth.getAssets()`
- * `gigya.accounts.b2b.getOrganizationInfo()`
- * `gigya.accounts.getJWT()`
- * `gigya.accounts.getAccountInfo()` passing the value `Groups` to the `include` parameter.

NO.25 You are building a dataflow to synchronize existing users’ subscriptions from the marketing system to SAP Customer Data Cloud. The marketing system will provide a PGP-encrypted file and place it on an

\$3 bucket. All records failing to update will be zipped and sent back to the \$3 bucket.

Which actions will you perform during the creation of the dataflow? Note: There are 2 correct answers to this question

- * Add a `file.decrypt.pgp` component and a `file.compress.zip` component.
- * Add a `file.encrypt.pgp` component and a `file.uncompress.zip` component.
- * Add an error handling step after a `datasource.write.gigya.account` component.
- * Add an error handling step after a `datasource.read.amazon.s3` component.

NO.26 You want a dataflow to run regularly.

What are the two best-practice options to configure this?

Note: There are 2 correct answers to this question.

- * Use the dataflow scheduler of the Console and add a schedule.
- * Use the `idx.setDataflow` endpoint via an API call.
- * Use extensions and schedule the dataflow using an extension endpoint.
- * Use the `idx.createScheduling` endpoint via an API call.

NO.27 How can you define privileges in the Console?

- * By using permission groups
- * By enabling auditing capabilities
- * By creating administrators and applications
- * By using IP restrictions

NO.28 You are a consultant on an SAP S/4HANA Cloud greenfield project.

Which of the following aspects should you focus on to achieve and maintain clean core data quality?

Note: There are 2 correct answers to this question.

- * Timeliness
- * Stability
- * Accuracy
- * Efficiency

NO.29 What are the key pages required to set up SAP Customer Data Cloud as a SAML identity provider?

Note: There are 2 correct answers to this question.

- * Assertion
- * Proxy
- * Error
- * Consent

NO.30 What is the function of the Assertion Consumer Service URL in a SAML implementation?

- * It enables the proxy page and its linked pages, such as login and error pages.
- * It asserts the logged-in status of the consumer.
- * It tells the IdP where to send the SAML response after authenticating a user.
- * It allows consumers to securely enter their SAML credentials.

NO.31 Which capabilities does the UI Builder provide? Note: There are 3 correct answers to this question.

- * Field mapping
- * Policy editor
- * Drag-and-drop visual editing
- * Hosted page editor
- * Language translation support

NO.32 How can you get the public certificate that is required to validate a JSON Web Token?

- * By downloading the certificate from the SAP Customer Data Cloud console
- * By calling the endpoint `accounts.getJWTPublicCertificate`
- * By requesting the certificate from the SAP Customer Data Cloud support team
- * By calling the endpoint `accounts.getJWTPublicKey`

NO.33 Which features can be overridden at child level when using site groups?

Note: There are 3 correct answers to this question.

- * Login identifier
- * Default login and registration screen-set
- * Data schema
- * New User Welcome email template
- * Web SDK configuration

NO.34 For browsers that block third-party cookies, what additional implementation steps can you take to ensure that SSO functions properly? Note: There are 2 correct answers to this question

- * Call `initSSO` in the `onLogin` handler after successful logins.
- * Set the `continueSSO` parameter to `true` in Global Configuration.
- * Configure a CNAME
- * Set `storageDomainOverride` for the group parent site in Global Configuration.

NO.35 How would a customer administrator grant someone access to their partner account?

- * By adding them to the list of authorized console users inside Customer Identity Access site settings
- * By using the Invite Member option in the organization console
- * By requesting they be granted access using the access request portal
- * By using the Invite Administrator option under Access Management – Administrators

NO.36 You are using SAP Enterprise Consent and Preference Management without SAP Customer Identity.

Which API call do you need to use to collect the consent?

- * `accounts.login`
- * `accounts.initRegistration`
- * `accounts.notifyLogin`
- * `accounts.setPolicies`

Accurate & Verified 2024 New C_C4H62_2408 Answers As Experienced in the Actual Test!:

https://www.vceprep.com/C_C4H62_2408-latest-vce-prep.html]