
# C-HAMOD-2404 Dumps PDF 2024 Program Your Preparation EXAM SUCCESS [Q12-Q26



C-HAMOD-2404 Dumps PDF 2024 Program Your Preparation EXAM SUCCESS Get Perfect Results with Premium C-HAMOD-2404 Dumps Updated 91 Questions

## SAP C-HAMOD-2404 Exam Syllabus Topics:

Topic Details Topic 1- Provisioning Data to SAP HANA: It discusses how to provision data to SAP HANA. Topic 2- Managing and administering models: The topic covers setup of modeling environment and the usage of tools for the management of data models. Topic 3- Building calculation views: It explains the usage of all types of calculation views and nodes to build a data model.

## **QUESTION 12**

You have imported a new calculation view in a folder that contains an .hdinamespace file. This calculation view consumes one data source, which is a table. When trying to deploy the calculation view, the deployment fails with a namespace-related issue. What could be the reason? Note: There are 2 correct answers to this question.

\* The namespace used within the calculation view to reference the table is different from the actual namespace in the identifier of

this table.

- \* The imported calculation view and its data source have different namespaces.
- \* An .hdinamespace file is defined in the SRC folder that specifies a different namespace property than the one in the identifier of the calculation view.
- \* The .hdinamespace specifies "sub-folder":"append", so calculation views can only be created in subfolders.

#### **QUESTION 13**

A new version of SAP HANA Cloud, SAP HANA database is available from today. If you do not perform the upgrade manually, how much time do you have before your database will be automatically upgraded to the next version?

- \* 7 months
- \* 3 months
- \* 2 weeks
- \* 1 year

## **QUESTION 14**

Why might you use the Keep Flag property in an aggregation node?

- \* To ensure that the aggregation behavior defined in the aggregation node for a measure CANNOT be overridden by a query
- \* To exclude columns that are NOT requested by a query to avoid incorrect results
- \* To include columns that are NOT requested by a query but are essential for the correct result
- \* To retain the correct aggregation behavior in stacked views

## **QUESTION 15**

Why does SAP issue warnings about the use of imperative or procedural SQLScript statements?

- \* They can limit parallelization of query execution.
- \* They introduce potential security risks.
- \* They could modify the database.
- \* They call multiple processing engines.

#### **OUESTION 16**

You have products that appear in table A and sometimes they also appear in table B. You want to select the products that appear ONLY in table A. Which node type do you use?

- \* Aggregation
- \* Minus
- \* Intersect
- \* Union

#### **QUESTION 17**

What is a restricted measure?

- \* A measure that can be consumed by a CUBE and not a DIMENSION.
- \* A measure that is filtered by one or more attribute values.
- \* A measure that can only be displayed by those with necessary privileges.
- \* A measure that cannot be referenced by a calculated column.

## **QUESTION 18**

What can you do with shared hierarchies? Note: There are 2 correct answers to this question.

- \* Access hierarchies created in external schemas
- \* Enable SOL SELECT statements to access hierarchies
- \* Provide reusable hierarchies for drilldown in a CUBE with star join
- \* Provide reusable hierarchies for drilldown in a CUBE without star join

#### **QUESTION 19**

In a calculated column, which object do you use to process a dynamic value in an expression?

- \* Variable
- \* Input Parameter
- \* Procedure
- \* Table function

## **QUESTION 20**

You created a table and inserted data in it using SQL statements inside the SAP HANA Deployment Infrastructure (HDI) container of your project. You add this table as a data source to a calculation view and try to deploy it. What do you observe in the SAP HANA database container?

- \* The deployment is successful but the data preview returns an error message.
- \* The deployment fails and the table is not dropped.
- \* The deployment fails and the table is dropped.
- \* The deployment is successful and the data preview returns expected data.

## **QUESTION 21**

A calculation view includes a rank node that uses the source data and settings shown in the graphic.



Your query requests all columns of the rank node. How many rows are in the output of your query?

- \* 9
- \* 2
- \* 5
- \* 6

## **QUESTION 22**

You want to create a star schema using a calculation view. The measures are based on columns from two transaction tables. DIMENSION calculation views provide the attributes. What is the correct approach?

- \* Combine the transaction tables using a star join node in a calculation view of type CUBE with star join./Use a join node to join the DIMENSIONS to the fact table.
- \* Combine the transaction tables using an aggregation node in a calculation view of type CUBE with star join./Use a star join node to join the DIMENSIONS to the fact table.
- \* Combine the transaction tables using a join node in a calculation view of type CUBE with star join. Use a star join node to join the DIMENSIONS to the fact table.
- \* Combine the transaction tables using a star join node in a calculation view of type CUBE with star join. Use the same star join node to connect the DIMENSIONS to the fact table.

#### **OUESTION 23**

You are managing your source files using Git. In which sequence does your file progress towards a COMMIT?

- \* Staging area -> Working directory -> Local Git repository
- \* Working directory -> Staging area -> Local Git repository
- \* Working directory -> Local Git repository -> Staging area
- \* Local Git repository -> Staging area -> Working directory

#### **QUESTION 24**

Which of the following data sources can you include in a graphical calculation view? Note: There are 2 correct answers to this question.

- \* Table function
- \* Procedure
- \* Scalar function
- \* Row table

#### **QUESTION 25**

You set the Null Handling property for an attribute but do not set a default value. What is displayed when null values are found in a column of data type NVARCHAR?

- \* <empty string>
- \* "?"
- \* "0"
- \* "Null"

## **QUESTION 26**

Which are types of calculation views?

Note: There are 3 correct answers to this question

- \* CUBE WITH STAR JOIN
- \* COMPOSITE
- \* CUBE
- \* DIMENSION
- \* SEMANTIC

This page was exported from - <u>Latest Exam Prep</u> Export date: Sat Apr 5 0:53:50 2025 / +0000 GMT		
C HAMOD 2404 DDE Dumma Entromaly Owiels Way Of Dranaus	dian.	
C-HAMOD-2404 PDF Dumps Extremely Quick Way Of Prepara <a href="https://www.vceprep.com/C-HAMOD-2404-latest-vce-prep.html">https://www.vceprep.com/C-HAMOD-2404-latest-vce-prep.html</a> ]	tuon:	